 INDUSTRIJA NAFTE, d.d.	SAFETY DATA SHEET	Edition: 2/11/07
	Product: INA Komprina ISO VG 32, 46, 68, 100, 150, 220, 320	Page: 1 / 6


1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name and code:	INA Komprina 1000143 - 1000147 and 2000143 - 20000150
Product use:	Lubricating oil for piston and rotary air compressors, as well as blade and vacuum pumps.
Producer/supplier:	INA-INDUSTRIJA NAFTE d.d.
Address:	Av. Većeslava Holjevca 10, P.O.B. 555, 10002 Zagreb, CROATIA Phone 00-385 1 64 50 842 / 385 1 64 51 075 (0 – 24 h) Fax 00-385 1 64 52 050
Emergency Service Telephone Number:	112

2. COMPOSITION / INFORMATION ON INGREDIENTS

Substance:		Preparation:	X		
Chemical name of substance:	-				
CAS No.:	-				
Chemical composition of preparation (concentration / range)	Mineral oil with additives.				
EINECS number:	-				
EEC Index:	-				
Components contributing to product hazardousness:					
Component	% v/v (concentration)	EINECS/CAS	Hazard symbol	Risk phrases	Safety phrases
(4-nonylphenoxy) acetic acid	< 0.02	221-486-2 / 3115-49-9	C, N	R:22-34-43-51/53	-
amine phosphate	0.03 – 0.06	-	Xi, N	R:36/38-51/53	-
N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine	< 0.02	401-280-0 / 91273-04-0	C, N	R:34-43-51/53	-
N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine	< 0.02	279-503-4 / 80584-90-3 279-514-4 / 80595-74-0	Xi, N	R:38-43-51/53	-
Alkyl phenol	0.17 – 0.22	-	-	R:53	-
Alkylated diphenylamines	0.03 – 0.08	-	-	R:52/53	-
Alkyl sarkosinate	< 0.01	-	Xi, N	R:38-41-50/53	-
Phosphorothioic acid esters	0.03 – 0.08	-	-	R:53	-
Dithiophosphoric acid ester	0.11 – 0.17	-	N	R:51/53	-
Nonylphenol	< 0.003	246-672-0 / 25154-52-3	C, N Repr. cat.3	R:22-34-62-63-50/53	-

Polycyclic aromatics in mineral oil: <3% (DSMO extract, IP 346)

 INDUSTRIJA NAFTE, d.d	SAFETY DATA SHEET	Edition: 2/11/07
	Product: INA Komprina ISO VG 32, 46, 68, 100, 150, 220, 320	Page: 2 / 6

3. HAZARDS IDENTIFICATION

The most important hazards and effects:	
Human health hazards:	May have irritating effect on skin/eyes of oversensitive persons.
Environmental hazards:	No data. Avoid releasing into environment.
Physical and chemical hazards:	See items 9 and 10.
Special hazards:	No data.
Main symptoms of effects:	
Inhalation:	Hot oil vapours may have irritating effect on upper respiratory tract.
Skin:	In sensitive persons, may cause redness.
Eyes:	In sensitive persons, may cause redness and pricking.
Ingestion:	No data.
Overview of special conditions:	None.

4. FIRST-AID MEASURES

First-aid procedures:	
Inhalation:	Take the person to fresh air. In case of breathing difficulties, seek medical assistance.
Skin contact:	Thoroughly rinse with running water and soap.
Eye contact:	With clean fingers keep eye-lids apart and rinse with running water for at least 15 minutes.
Ingestion:	DO NOT invoke vomiting! Rinse the mouth with water and spit out. In case of nausea or any other symptom, seek medical assistance and show the label or container.
Note to first-aider/physician:	See items 2 and 3.

5. FIRE-FIGHTING MEASURES


Extinguishing media:	
Suitable:	Foam, dry chemical powder, CO ₂ , sand.
Not suitable:	Water.
Fire-fighting measures for special hazards:	No special recommendations.
Special fire-fighting measures:	Use water spray for cooling containers/tanks and for protection of persons.
Fire-fighting special safety equipment:	Self-sustaining compressed-air breathing apparatus (HRN EN 135) and thermally insulated suit.
Special exposure hazards:	None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Use personal safety equipment from item 8.
Environmental precautions:	Prevent discharging/spilling into water, sewage and drainage systems by digging a protective trench and/or fencing with dry sand, earth, or similar absorbent material. Spills on water surface shall be surrounded with floating booms.
Methods for cleaning-up and recovery:	Spilled product shall be collected by means of adsorbent or inert material. Waste material and removed contaminated surface soil layer shall be put into well-closed tanks, and until disposal, stored in well-vented rooms. Deliver for disposal to legal entities entrusted with hazardous waste disposal, authorised by the Ministry in charge of environmental protection.
Additional warnings:	In case of major spills, notify the communication unit by dialling 112.

7. HANDLING AND STORAGE

Handling:	
Safety precautions:	Use the product in vented rooms. Keep far from heat and ignition sources.
Safe handling advice:	Avoid contact with skin and eyes.
Storage: technical measures and storage conditions:	

 INDUSTRIJA NAFTE, d.d.	SAFETY DATA SHEET	Edition: 2/11/07
	Product: INA Komprina ISO VG 32, 46, 68, 100, 150, 220, 320	Page: 3 / 6

Suitable:	Compressor oil recommended storage is in roofed or closed areas. Recommended storage temperature: 5-40°C.
To be avoided:	Exposure to direct sunlight and high temperatures, contact with water and strong oxidants.

Packaging materials:

Recommended:	Original manufacturer's packaging.
Not suitable:	All other.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Technical measures for reducing exposure:	Provide good venting / air outlet in work areas.
Control parameters: See item 7.	

Hazardous substance	Maximum allowed concentration ppm	Biological limit values ppm
Mineral oils, aerosols	5 U (total dust) mg/m ³	No data

Personal protective equipment:

Respiratory tract protection:	During regular work activities, no equipment is required for protection of respiratory tracts. In special cases (e.g. spilling), use safety mask for the whole face (HRN EN 136), and in case of fire – self-sustaining compressed-air breathing apparatus (HRN EN 135).
Hand protection:	PVC or neoprene gloves: oil-, grease-, lye-, and acid-resistant (HRN EN 374-1).
Eye protection:	Safety goggles with side guards, or safety vizier.
Skin and body protection:	Protective clothes and footwear.
Special hygienic and safety precautions:	Smoking, eating, and drinking are prohibited during handling this product. Wash hands after each interruption of work.
Additional warnings:	Immediately take-off the contaminated clothes and footwear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical properties

State:	liquid	Colour:	yellow to dark brown	Odour:	mild
---------------	--------	----------------	----------------------	---------------	------

Chemical properties

Characteristics	Unit	Values	Method	Note
pH value:				Not applicable
Boiling point / Boiling range:	°C			Unknown
Flash point:	°C	≥ 205	HRN EN ISO 2592	
Flammability:	°C			Not applicable
Auto-ignition temperature:	°C	> 340	DIN 51794	
Explosive properties:	% v/v			Non-explosive product
Oxidizing properties:				Not applicable
Vapour pressure:	kPa			Not applicable
Density (15 °C):	kg/m ³	875 - 902	HRN EN ISO 12185	
Solubility in water:	g/L			No data
Solubility in organic solvents or oils:	g/L			Not applicable
Partition coefficient n-octanol / water:	- log Low			Not applicable
Pour point, maximum	°C	- 5	HRN ISO 3016	

Viscosity (at 40 °C):				
INA Komprina 32		29 - 35		
INA Komprina 46		42 - 50		
INA Komprina 68		62 - 74		
INA Komprina 100	mm ² /s	90 - 110	HRN EN ISO 3104	
INA Komprina 150		135 - 165		
INA Komprina 220		198 - 242		
INA Komprina 320		288 - 352		
Vapour density:	kg/m ³			Not applicable
Volatility:	kPa			Not applicable
Miscibility with other substances:				Not applicable
Conductivity:	pS/m			Not applicable
Melting point / Melting range:	°C			Not applicable
Gas group:				Not applicable

10. STABILITY AND REACTIVITY


Stability:	Stable under regular conditions.
Conditions to avoid:	High temperature and direct sunlight.
Materials to avoid:	Contact with water and strong oxidants.
Hazardous decomposition products:	No formation of hazardous products expected during regular storage.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:	
Oral (LD ₅₀):	No data.
Inhalation (LD ₅₀):	No data.
Dermal (LD ₅₀):	No data.
Local effects:	
Skin irritation:	No data.
Eye irritation:	No data.
Dermal sensitivity:	No data.
Chronic poisoning or long exposure:	In sensitive persons, may have irritating effect on skin and/or eyes, and cause dermatitis and/or redness.
Exposure effects:	
Single-term:	No data.
Recurrent:	No data.
Long-term:	In sensitive persons, may have irritating effect on skin and/or eyes, and cause dermatitis and/or redness.
Momentary effects:	No data.
Delayed:	No data.
Special:	No data.

12. ECOLOGICAL INFORMATION

Mobility:	
Known or predicted distribution to environmental compartments:	Floats on water surface.
Surface tension:	No data.
Soil absorption/desorption:	No data.
Other physical and chemical properties:	See item 9.
Persistence/degradability:	
Biotic or abiotic degradation:	No data.

 INDUSTRIJA NAFTE, d.d.	SAFETY DATA SHEET	Edition: 2/11/07
	Product: INA Komprina ISO VG 32, 46, 68, 100, 150, 220, 320	Page: 5 / 6


Aerobic or anaerobic degradation:	No data.
Persistence:	No data.
Bio-accumulation:	
Bio-accumulative potential:	No data.
Bio-enhancement:	No data.
Possible environmental impact:	
Water:	Forms a film on the surface, and due to a lack of oxygen, may have a harmful effect on aquatic organisms.
Air:	No data.
Soil:	No data.
Eco-toxicity:	
For aquatic organisms (EC 50):	No data.
For algae (EC 50):	No data.
For ground organisms:	No data.
For plants and land animals:	No data.
Other harmful effects:	No data.

13. DISPOSAL CONSIDERATIONS

Preferred disposal considerations:	
Waste from residues:	Waste lubricating oil is hazardous waste and it should not be spilled/discharged into sewerage or environment. Residues should be thermally treated. See item 6.
Contaminated packaging:	To be disposed of into oily waste containers, pursuant to the current legislation. Drums may be regenerated.
Local disposal considerations based on:	Regulations on Types of Waste (OG 27/96, Code 13 02 02); Law on Waste (OG 178/04, OG 111/06); Decree on Change and Amendment to the Law on Waste (OG 153/05); Decree on Hazardous Waste Management Requirements (OG 32/98); Decree on Categories, Types, and Classification of Waste with Catalogue of Waste and Hazardous Waste List (OG 50/05); Regulations on Waste Oil Management (OG 124/06).

14. TRANSPORT INFORMATION

Transport classification signs:	
Road (ADR):	Not classified as product hazardous for transportation.
Rail (RID):	Not classified as product hazardous for transportation.
Water (ADNR):	Not classified as product hazardous for transportation.
Sea (IMDG):	Not classified as product hazardous for transportation.
Air (IATA –ICAO):	No data on transportation.
UN classification number:	-
Additional regulations:	Law on Transportation of Hazardous Substances (OG 79/07).
Special precautions and conditions:	

 INDUSTRIJA NAFTE, d.d.	SAFETY DATA SHEET	Edition: 2/11/07
	Product: INA Komprina ISO VG 32, 46, 68, 100, 150, 220, 320	Page: 6 / 6

15. REGULATORY INFORMATION

Applicable regulations:	Law on Chemicals (OG 150/05); Regulations on Maximum Allowed Concentrations of Hazardous Substances in Atmosphere of Work Premises and Areas, and on Biological Limit Values (OG 92/93); INA N 12-244.
Information on hazards and safety measures:	
Hazard symbol:	-
Risk phrases: (for final product)	-
Safety phrases: (for final product)	S 2 Keep out of the reach of children. S 29/35 Do not empty into drains; dispose of this material and its container in a safe way.

16. OTHER INFORMATION

Risk phrases: (for ingredients)	R 22 Harmful if swallowed. R 34 Causes burns. R36/38 Irritating to eyes and skin. R 38 Irritating to skin. R 41 Risk of serious damage to eyes. R 43 May cause sensitization by skin contact. R 62 Possible risk of impaired fertility. R 63 Possible risk of harm to the unborn child. R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Safety phrases: (for ingredients)	-
Literature:	1. http://ecb.jrc.it/esis/ 2. http://www.msds.exxonmobil.com/psims/AlternateFormat.aspx?DocumentID=83830&DocumentFormat=RTE
Revisions:	Edition 2 of this SDS, in respect of edition 1, is a completely new edition meeting the requirements of Regulations on the Manner of Filling-out the Safety Data Sheet, OG 111/2006, and EU Directive 2001/58/EC.
Note:	Safety Data Sheet (SDS) is drawn up on the basis of present knowledge and legislation in force at the moment of launching the product onto the market. Product is described on the basis of its safety data. The use of product for purposes other than those indicated above, as well as its use with other materials during treatment process may cause hazards that are not described in this SDS.