

According to the Regulation No. 1907/2006

Page 1 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13

Edition: 11

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

- Trade name: EURO FUEL OIL EXTRA LIHGT, EURO FO EL

Chemical name: Fuels, diesel
 Index no.: 649-224-00-6
 EC no.: 269-822-7
 CAS no.: 68334-30-5

- Registration no.: 01-2119484664-27-0114

- UFI: Not applicable.

- Form: -

**- Product code:** 1000667

1.2. Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified uses: Industrial: Manufacture of substance, Formulation & (Re)Packing of

substances, Use as a fuel **Professional:** Use as a fuel **Consumer:** Use as a fuel

- Uses advised against: The uses that are in the list above are relevant.

Other uses are not recommended unless an assessment that proves that the related risks are controlled has been conducted before starting that

use.

1.3. Details of the supplier of the safety data sheet

- Manufacturer/supplier: INA-Industrija nafte, d.d.

Address: Av. V. Holjevca 10

pp 555, 10002 Zagreb, HRVATSKA

**Phone:** 00-385-1-6450-842 / 00-385-1-6451-075 (24 h)

**Fax:** 00-385-1-6452-050

Sustainable Development and Health, Safety and Phone: 00-385-1-6450-803

**Environment** 

- email address of a competent person responsible for <a href="mailto:sds@ina.hr">sds@ina.hr</a>

the safety data sheet:

1.4. Emergency Telephone Number

- Emergency Service Telephone Number: 112

Ministry of the Interior00-385-1-6192-929Directorate for civil protection00-385-1-4551-792Operative centre for civil protection00-385-1-4814-911

e-mail: occz@civilna-zastita.hr

- Medical Information Telephone Number: 00-385-1-23-48-342



According to the Regulation No. 1907/2006

Page 2 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

### **SECTION 2. HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## 2.1.1. Classification according to Regulation (EC) No 1272/2008 (CLP):

Flam. Liquid 3: H226 Asp. Tox. 1: H304 Skin Irrit. 2: H315 Acute Tox 4: H332 Carc.2: H351

STOT (RE): H373 (thymus, liver, bone marrow)

Aquatic Chronic 2: H411

Full text of H-phrases: see section 16.

## 2.2. Label elements

## 2.2.1. Labelling according to Regulation (EC) No 1272/2008 (CLP)

Hazard pictograms:



Signal word: Danger

Hazard statements (H):	H226	Flammable liquid and vapour.
	H304	May be fatal if swallowed and enters airways.
	H315	Causes skin irritation.
	H332	Harmful if inhaled.
	H351	Suspected of causing cancer.
	H373	May cause damage to thymus, liver, bone marrow through prolonged or repeated exposure.
	H411	Toxic to aquatic life with long lasting effects.
Precautionary statements (P):	P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P301+	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
	P310	
	P331	Do NOT induce vomiting.

2.3. Other hazards



According to the Regulation No. 1907/2006

Page 3 of 29

Product	FUEL OIL EXTRA LIGHT	Date:	2023/01/13
		Edition:	11

No data available.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS								
-Substance:	X			Mixtur	e:			
- Components of	- Components contributing to product hazardousness:							
Substance identification  Substance name  [%]  Classification according to Regulation (EC)								
Substance name	CAS no.	EC no.	Registration no. (REACH)	[70]	1272/2008 (CLP)		.272/2008 (CLP)	
Fuels, diesel	68334-30-5	269-822-7	01-2119484664- 27-0114	≤100	STOT RE	2: H37	am. Liquid 3: H226 Asp. Tox. 1: H304 Skin Irrit. 2: H315 Acute Tox 4: H332 Carc.2: H351 73 (thymus, liver, bone marrow) Hatic Chronic 2: H411	

### **SECTION 4. FIRST AID MEASURES**

### 4.1 Description of first aid measures

- general information: In case of ingestion, always assume aspiration into the lungs has occurred,

accompanied by the pulmonary oedema hazard. Show the label on the

packaging or the SDS.

- after inhalation: Remove the person from dangerous area to fresh air.

In case of dizziness, nausea, headache, and permanent complaints

immediately seek medical attention.

In case of fainting transport in lateral position to hospital, paying attention to

the free passing of the air thorough the respiratory tract.

In case of difficulty in breathing or respiratory arrest, open airways, initiate resuscitation (heart massage and artificial respiration) and immediately seek

medical attention.

- after skin contact: Remove soaked clothes and shoes and flush the sites of contact thoroughly

with water and soap for at least 15 to 20 minutes. In case redness occurs seek

medical advice.

- after eye contact: Remove contact lenses and flush the eyes with running water for at least 15

minutes. In case of irritation, blurred vision and swelling immediately seek

medical attention.

- after ingestion: Do NOT induce vomiting! Do not give anything by mouth. Always assume

aspiration into the lungs has occurred. If vomiting occurs, keep the head below the level of hips in order to prevent penetration into the lungs.

Immediately seek medical attention.



According to the Regulation No. 1907/2006

Page 4 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13
Edition: 11

- personal protective equipment for first aid responder: No data available.

## 4.2 Most important symptoms and effects, both acute and delayed

- after inhalation: Longer inhalation of fumes can cause a sense of intoxication, headache,

vomiting, fainting.

- after skin contact: Redness, dermatitis.

- after eye contact: Irritating effect with possible occurrence of eye redness.

- after ingestion: May cause lung damage if swallowed. Danger of pulmonary oedema due to

aspiration in the lungs.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Only qualified medical personnel should administer oxygen.

### **SECTION 5. FIREFIGHTING MEASURES**

### 5.1 Extinguishing media

SUITABLE: Air foam, powder, CO<sub>2</sub>, water mist.
 UNSUITABLE: Water jet (danger of fire spread).

5.2 Special hazards arising from the substance or mixture:

- Hazardous combustion products: Combustion of hydrocarbons can produce smoke

containing CO, CO<sub>2</sub>.

- Hydrocarbon vapours: Vapours are heavier than air and may settle to

ground level, in dents, channels and similar; they may spread away from the site of accident and

cause explosion and fire.

5.3 Advice for firefighters:

- Firefighting measures for special hazards: Eliminate all sources of ignition and call the fire

brigade. Pay special attention to risk of explosive vapour-air mixture formation at temperatures

above the flash point.

- Special firefighting methods: Use of water mist and water spray for cooling the

surfaces exposed to heat and for protection of persons. Only persons trained in firefighting may

use the water spray (sprayed water).

- Special protective equipment for firefighters: Self-contained open circuit compressed air

breathing apparatus (HRN EN 137). Wear protective clothing for firefighters (intervention suit) in

accordance with HRN EN 469.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures



According to the Regulation No. 1907/2006

truck, mark the accident area, and call the responsible person and the expert service in charge of taking care of the consequences of the accident.

Page 5 of 29

Product **FUEL OIL EXTRA LIGHT** Date: 2023/01/13 Edition: 11 6.1.1. For non-emergency personnel - Protective equipment: Use personal protective equipment listed in section 8 and remove unprotected persons from the affected area immediately. - Accident prevention procedures: Ventilate thoroughly the premises at risk. Display a visible sign prohibiting entrance, use of open flame and sparking devices. Do not smoke. Stand upwind from the spill site. Prevent product - Procedure in case of accident: spread if this can be done in a safely manner. Identify the area of danger and prevent leaks and spills into watercourses, channels, drainage systems and soil by digging a protective ditch, setting up partitions made of bags of dry sand, soil, or clay. Ensure good ventilation. In case of larger spills notify the at the number 112. 6.1.2. For emergency responders: Insulate the spill area. Use personal protective equipment listed in section 8 and remove unprotected persons from the affected area immediately. Prevent product spread if this can be done in a 6.2 Environmental precautions: safely manner. Insulate the spill area. Mark out the contaminated area with signs and prevent leaks and spills into watercourses, channels, drainage systems and soil by digging a protective ditch, setting up partitions made of bags of dry sand, soil, or clay. 6.3 Methods and material for containment and cleaning up 6.3.1. For bunding, covering and capping: Dig a protective ditch around the discharge area, enclose with bags filled with dry sand, earth, or clay. 6.3.2. For cleaning up: Pump the product from the damaged tank into an empty tank - container with the pump designed for use in a potentially explosive atmosphere. Absorb the remainders with absorbents (sawdust, sand, mineral adsorbents, or other inert materials). Store the waste material and contaminated surface layer of soil that was removed in tightly closed containers in well-ventilated premises until disposal. Hand over for disposal to legal entities for hazardous waste disposal, authorized by the Ministry in charge of environmental protection. In case of traffic accident, properly ground the tank 6.3.3. Other information:



According to the Regulation No. 1907/2006

Page 6 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

**6.4 Reference to other sections:** See sections 8 and 13.

### **SECTION 7. HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

7.1.1 Safe handling advice: Eliminate all possible sources of ignition. Decant only in areas properly

designed for the purpose according to regulations. Use functioning equipment and devices and follow technical safety measures in accordance with the training received. Take special care of connection points to prevent possible leaks. Follow occupational safety and fire

safety measures.

7.1.2 Advice on general

occupational hygiene:

Do not smoke, eat, or drink in a room where this product is handled. Avoid inhalation and contact with skin and eyes. Use personal protective

equipment listed in Section 8.

## 7.2 Conditions for safe storage, including any incompatibilities

- SUITABLE: Properly built and equipped containers. Make sure that receiving tank farms are

below self-supporting tanks.

- TO BE AVOIDED: Avoid storing with other chemicals, especially flammable ones (oxidants, acids).

Do not use sparking tools and equipment in storage area.

- Packaging materials

- RECOMMENDED: Original as made by the tank/container manufacturer with valid certification.

- NOT SUITABLE: Any other.

7.3 Specific end use(s):

No data available.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

Hazardous substance (CAS No.)	values/sho	l exposure limit rt term values _/STEL)	Biological limit values
	ppm	mg/m³	
No data available.	-	-	-

### - Monitoring procedures:

### 8.2. Exposure controls

- Summary of risk management measures: See Section 7.

### 8.2.1 Occupational exposure controls

HSE\_INAG2.6\_PD\_INA2\_R1



According to the Regulation No. 1907/2006

Page 7 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

### - Description of operating procedure and technological control:

Make sure work areas are well-ventilated. Provide a decontamination sprayer for the eyes and face. Adopt personal hygiene measures: wash the hands after contact with the fuel, especially before eating, drinking and/or smoking. Regularly maintain and wash the clothing and equipment after use to remove dirt. Properly dispose of the contaminated clothing and equipment. Maintain cleanliness in accordance with good practice. Educate the employees on the hazards and control measures. Test and maintain the equipment used when handling the fuel: for example, personal protective equipment, ventilation system. Do not swallow. If swallowed, seek medical attention.

### 8.2.2 Personal protective equipment

- respiratory protection: If the concentration is higher than permitted, use a protective half mask

or full-face mask (HRN EN 136/AC:2006) with a combined filter for organic gases/vapours (filter type A-P, boiling point >65 °C), a threaded connection complying with the HRN EN 14387 and HRN EN 143 standards (boiling point > 65 °C). During the fire, use a self-sustained

open-circuit compressed-air breathing apparatus (HRN EN 137).

- hand protection: Personal hand hygiene is the most important element. The gloves shall

only be worn on clean hands. After using the gloves, the hands shall be washed and dried. The contaminated gloves shall not be used. For continuous use, wear protective gloves made of stable and impervious

material such as nitrile rubber or Viton (HRN EN 374).

- eye/face protection: Protective goggles or a visor at lower concentrations (HRN EN 166),

protective mask at higher concentrations.

- skin and body protection: Use chemical resistant gloves, clothing, and apron (where there is a risk

of splashing).

- Special hygienic and Maintain the prescribed hygiene standards for working with hazardous

safety precautions: substances. Remove contaminated clothing and footwear. Inspect the

equipment and devices regularly and maintain with running water. Do not smoke, eat, and drink when handling the product. Wash hands

before breaks and at the end of work.

### 8.2.3 Environmental exposure controls

- Summary of risk management measures: No data available.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

- physical state: liquid- colour: red

- odour: very weak, characteristic for hydrocarbons

- odour threshold: No data available.

- pH value (indicate conc. and temp.): Not applicable.

melting point/freezing point:
boiling point/boiling range:
°C
No data.
boiling point/boiling range:
°C
180 – 370



According to the Regulation No. 1907/2006

Page 8 of 29

Product **FUEL OIL EXTRA LIGHT** Date: 2023/01/13 Edition: 11 - flash point: °C. >55 No data. - evaporation rate: - flammability (solid, gas): Need to be heated to ignite. - explosive limits: vol. % 0,6 - 6,5 (from literature) kPa - vapour pressure: No data. kg/m<sup>3</sup> No data. - vapour density at 15°C: - relative density: 0,820 - 0,860- density at 15°C: 820,0 - 860,0 kg/m<sup>3</sup> - solubility (indicate solvent): g/L No data. - solubility in water: g/L Negligible. - partition coefficient n-octanol / water logPow 3,9 - 6,0 (from literature) °C - auto ignition temperature: 250 - 460 (from literature) °C. - decomposition temperature: No data. mm<sup>2</sup>/s 1,8 - 3,8 at 40°C - kinematic viscosity: 2,5 - 6,0 at 20°C - oxidizing properties: Not applicable. - conductivity: pS/m No data.

9.2. Other information:

No data available.

**10.1 Reactivity:** Stable under recommended handling and storage

conditions.

10.2 Chemical stability: Stable under recommended handling and storage

conditions.

**10.3 Possibility of hazardous reactions:** Potentially hazardous reactions are not known.

**10.4 Conditions to avoid:** Sources of heat, flame, spark.

**10.5 Incompatible materials:** Strong oxidants.

**10.6 Hazardous decomposition products:**None in standard operating conditions and in proper

storage; however thermal decomposition may generate harmful gases: carbon oxides (including carbon-monoxide, CO), sulphur and nitrogen oxides.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

- Acute toxicity

- oral (LD<sub>50</sub>):  $>5000 \text{ mg/kg}_{body \text{ weight}} \text{ (rat)}$ 

- inhalation (LC<sub>50</sub>):  $\geq$ 4,1 mg/l (rat)



According to the Regulation No. 1907/2006

Page 9 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

- dermal (LD<sub>50</sub>): >5 ml/kg <sub>body weight</sub> (rabbit)

- Corrosion/Irritation

- skin: Redness, dermatitis (H315).

- Repeated dose toxicity No data available.

- Serious damage/irritation

- eyes: Irritating effect; may cause redness.

- Sensitisation

- skin: Sensitive people may experience redness and dermatitis.

respiratory tract: No data available.Germ cell mutagenicity: Not classified.

- Carcinogenicity: Suspected of causing cancer (H351).

- Reproductive toxicity: No data available.- STOT (SE): No data available.

- STOT (RE): May cause damage to thymus, liver, bone marrow through

No data available.

prolonged or repeated exposure (H373).

- Aspiration hazard: May be fatal if swallowed and enters airways (H304).

- Information on likely routes of exposure: No data available.

- Symptoms related to the physical, chemical

and toxicological characteristics:

- Delayed and immediate effects as well as chronic effects from short and long-term

exposure:

Long-term inhalation of vaporous causes a sense of

intoxication, headache, urge to vomiting, fainting.

11.2. Information on other hazards

Endocrine disrupting properties: No data available.Other information: No data available.

### **SECTION 12. ECOLOGICAL INFORMATION**

12.1. Toxicity

- to aquatic organisms: EL50= 56 - 94 mg/L (96h, Cyprinodon variegatus

variegatus)

EL50= 3,5 - 4,4 ppm (24-96h, Palaemonetes pugio)

LL50= 2 mg/l (Daphnia magna)

to ground organisms: No data available.to plants and land animals: No data available.

12.2. Persistence and degradability

- biodegradation: Not readily biodegradable.

- other degradation processes: Some components evaporate and degrade when

exposed to light.



According to the Regulation No. 1907/2006

Page 10 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

- degradation in wastewater: No data available.

12.3. Bioaccumulative potential

- bio-concentration factor (BCF): log K<sub>ow</sub> above 4,0

**12.4. Mobility in soil**Method: No data available.

- Known or predicted distribution in No data available.

environmental compartments:

surface tension: No data available.
 absorption/desorption: No data available.
 other physical and chemical properties: See Section 9.

12.5. Results of PBT and vPvB assessment

- data from chemical safety report: No data available.
 12.6. Endocrine disrupting properties: No data available.
 12.7. Other adverse effects: No data available.

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**13.1 Waste treatment methods:** Waste shall be handed over to the person authorised for

waste collection, disposal, or recovery. If possible, the

waste shall be recovered.

- Waste codes: 13 07 01\*

- Waste from residues: There is no classic waste from this product except in case of

unintentional release. For such cases see Section 6.

- Contaminated packaging: Not applicable.

- Relevant provisions: Act on Waste Management, Ordinance on waste

management.

**SECTION 14. TRANSPORT INFORMATION** 

14.1 UN number or ID number: 1202

**14.2 UN proper shipping name:** Gas oil or diesel fuel or fuel oil, light

14.3 Transport hazard class(es)

ADR/RID/ADN/ICAO/IATA: 3
IMDG: 3

14.4 Packing group

ADR/RID/ADN/IMDG/ICAO/IATA: III

14.5 Environmental hazards

ADR, RID, ADN, ICAO/IATA: toxic to aquatic life with long lasting effects

IMDG: maritime pollutant

14.6 Special precautions for user



According to the Regulation No. 1907/2006

Page 11 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

**ADR** 

Transport category: 3

Vehicle for tank carriage:

FL (flash point not greater than 61 °C)

AT (flash point from 61°C but not larger than 100

°C)

Tank code:

LGBF (flash point not greater than 61 °C)

LGBV (flash point from 61°C but not larger than

100 °C)

Tunnel restriction code: (D/E)

Label: 3

Classification code: F1
Hazard identification: 30

Special provisions: 640 K-L-M, 664, S2

RID

Transport category: 3

Tank code:

LGBF (flash point not greater than 61 °C)

LGBV (flash point from 61°C but not larger than 100

°C)

Label: 3

Classification code: F1 Hazard identification: 30

Special provisions: 640 K-L-M, W12

**ADN** 

Label: 3

Additional requirements/Remarks: \*see 3.2.3.3

**ADN** 

Dangers: 3+(N1,N2,N3,CMR,F,S)

Equipment required: PP Classification code: F1 Carriage permitted: /

Type of tank vessel: N/2

Anti-explosion protection required: no Maximum degree of filling in %: 97

**IMDG** 

Subsidiary risk: maritime pollutant Group of the cargo: category A

Special provisions: 363

EmS: F-E, S-E

Segregation group: A

**ICAO** 

Label: 3

Cargo IMP code: RFL

Passenger and cargo aircraft: YES EQ: E1; Ltd Qty: 10L; Pkg Inst: Y344 Max Net Qty/Pkg: 60L; Pkg Inst: 355

Cargo aircraft only: YES

Pkg Inst: 366; Max Net Qty/Pkg: 220L

ERG code: 3L

14.7 Maritime transport in bulk according to IMO instruments

Trade name: -

Pollution category (according to MARPOL, Annex II):

HSE\_INAG2.6\_PD\_INA2\_R1



According to the Regulation No. 1907/2006

Page 12 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

Vessel type (according to IBC Code):

Special and operative requirements (according to IBC Code):

### 15. REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Applicable EU regulations: Regulation (EC) No 1907/2006 of the European Parliament and

of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP); Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No

1907/2006 (REACH).

- Applicable national regulations: Act on Chemicals; Ordinance on workers protection to

dangerous chemicals exposure during work, exposure limit values and biological limit values; Act on Waste Management,

Ordinance on waste management.

- Authorization information: -

- Restriction information: -

15.2 Chemical Safety Assessment

- Chemical Safety Assessment carried out (CSA):

YES X NO

### **16. OTHER INFORMATION**

## **Revision indicators**

Section: Subject of change:

1 Product names and product codes updated (deleted).

Aligned with Commission Regulation (EU) 2020/878.

## Full text of H- phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation. H332 Harmful if inhaled.

H351 Suspected of causing cancer.

H373 May cause damage to thymus, liver, bone marrow through prolonged or repeated

exposure.

H411 Toxic to aquatic life with long lasting effects.



According to the Regulation No. 1907/2006

Page 13 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

### Abbreviations and acronyms:

ADN European Agreement concerning the International Carriage of Dangerous Goods by

**Inland Waterways** 

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

CAS number Chemical Abstract Service number

CLP Classification, Labelling and Packaging of substances and mixtures

CSA Chemical Safety Assessment

CSR Chemical Safety Report

EC number European Community number for identification of chemical substances commercially

available in the EU

IATA International Air Transport Association
ICAO International Civil Aviation Organization

IMDG International Maritime Dangerous Goods Code transport

LC50 Lethal concentration for 50% of tested organisms

LD50 Lethal concentration for 50% of tested organisms (medium lethal concentration)

OIN Oil industry notes

PBT Persistent, bioaccumulative and toxic

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Transport of Dangerous Goods by Rail

STOT (SE) Specific Target Organ Toxicity (Single Exposure)
STOT (RE) Specific Target Organ Toxicity (Repeated Exposure)

UFI Unique formula identifier (according to section 5. Part A of Annex VIII of Regulation

(EU) no. 1272/2008)

UVCB Chemical Substances of Unknown or Variable Composition, Complex Reaction

Products and Biological Materials

vPvB Very persistent and very bioaccumulative

### Statement:

This SDS is in compliance with the EU Regulation No. 1907/2006 and No. 1272/2008 of the European Parliament and the Council. It contains important user health and safety and environmental protection information. The information provided herein is not a substitute for any specification of quality and should not be deemed as a guarantee of the adequacy and applicability of this product for any purpose whatsoever. All information provided herein is based on our current knowledge and compliant with applicable legal regulations. The user is responsible for adherence to relevant legal regulations.



According to the Regulation No. 1907/2006

Page 14 of 29

Product	FUEL OIL EXTRA LIGHT	Date:	2023/01/13
		Edition:	11

## Data source:

- 1. www.hzt.hr
- 2. <a href="http://echa.europa.eu/hr">http://echa.europa.eu/hr</a>
- 3. Hazard Classification and Labelling of Petroleum Substances in the EEA 2021, Concawe
- 4. Handbook Identified Uses of Petroleum Substances 2021 Dossier Update, Concawe, September 2021
- 5. First Aid Reference Guide 2021 update

APPENDIX: EXPOSURE SCENARIOS ACCORDING TO CHEMICAL SAFETY REPORT	



According to the Regulation No. 1907/2006

Page 15 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

Appendix: Exposure Scenario

## Identified Use Description and Exposure Scenario Number Key

IU	Category	Identified Use Name	Sector	Sector of Use (SU)	Product Category (PC)	Process Category (PROC)	Article Category (AC)	Environmental Release Category (ERC)	Specific Environmental Release Category (SpERC)
1	Vacuum gas oils, hydrocracked gas oils and distillate fuels	01 – Manufacture of Substance	Industrial	3, 8, 9	NA	1, 2, 3, 4, 8a, 8b, 15	NA	1	ESVOC SpERC 1.1.v1
4	Vacuum gas oils, hydrocracked gas oils and distillate fuels	02 – Formulation & (Re)packing of Substances and Mixtures	Industrial	3, 10	NA	1, 2, 3, 4, 5, 8a, 8b, 9, 14, 15	NA	2	ESVOC SpERC 2.2.v1
15	Vacuum gas oils, hydrocracked gas oils and distillate fuels	12a – Use as a Fuel: Industrial	Industrial	3	NA	1, 2, 3, 8a, 8b, 16	NA	7	ESVOC SpERC 7.12a.v1
16	Vacuum gas oils, hydrocracked gas oils and distillate fuels	12b – Use as a Fuel: Professional	Professional	22	NA	1, 2, 3, 8a, 8b, 16	NA	9a, 9b	ESVOC SpERC 9.12b.v1
17	Vacuum gas oils, hydrocracked gas oils and distillate fuels	12c – Use as a Fuel: Consumer	Consumer	21	13	NA	NA	9a, 9b	ESVOC SpERC 9.12c.v1

IU – Identified use



According to the Regulation No. 1907/2006

Page 16 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

Manufacture of Gas Oils (vacuum, hydrocracked & distillate fuels) H304 / non-H304, H315, H332, H351, H373, H411
 Industrial

Section 1 Exposure Scenario Title Ga non-H304, H315, H332, H351, H373,		cked & distillate fuels) H304 /
Title		
Manufacture of Substance		
Use Descriptor		
Sector(s) of Use		3, 8, 9
Process Categories		1, 2, 3, 4, 8a, 8b, 15
Environmental Release Categories		I FOLLOGO EDG 1.1. 1
Specific Environmental Release Categ	gory	ESVOC SpERC 1.1.v1
Processes, tasks, activities covered		
		extraction agent. Includes recycling / recovery, material transfers, storage,
	ities, maintenance and lo	ading (including marine vessel/barge, road/rail car and bulk container).
Assessment Method		
See Section 3.		
Section 2 Operational conditions and	d risk management measu	ıres
Section 2.1 Control of worker exposu	ure	
Product characteristics		
Physical form of product	Liquid With potential for	aerosol generation [CS138]
Vapour pressure (kPa)	Liquid, vapour pressure	<0.5 kPa at STP. OC3.
Concentration of substance	Covers percentage subst	tance in the product up to 100 % (unless stated
in product	differently) G13	
Frequency and duration of	Covers daily exposures u	p to 8 hours (unless stated differently) G2
use/exposure		
Other Operational Conditions		t at elevated temperature (> 20°C above ambient temperature). OC7.
affecting exposure		andard of occupational hygiene is implemented G1.
ContributingScenarios	Specific Risk Manageme	nt Measures and Operating Conditions
General measures applicable to all activities CS135	maintained facilities and lines prior to breaking maintenance. Where there is potentia and aware of basic action is available; clear up sp	posure using measures such as contained systems, properly designed and a good standard of general ventilation. Drain down systems and transfer containment. Drain down and flush equipment where possible prior to I for exposure: Ensure relevant staff are informed of exposure potential as to minimise exposures; ensure suitable personal protective equipment ills and dispose of waste in accordance with regulatory requirements; f control measures; provide regular health surveillance as appropriate; corrective actions. G25
General measures (skin irritants) G19	gloves (tested to EN374 soon as they occur. Wash off skin contamina	et with product. Identify potential areas for indirect skin contact. Wear ) if hand contact with substance likely. Clean up contamination/spills as tion immediately. Provide basic employee training to prevent / minimise any skin effects that may develop. E3
General exposures (Closed systems) CS15	Handle substance within	a a closed system E47
General exposures (Open systems) <mark>CS16</mark>	Wear suitable gloves tes	ted to EN374 PPE15
Process Sampling CS2	No other specific measu	res identified El20
Bulk closed loading and unloading CS501	Handle substance within	a closed system E47 Wear suitable gloves tested to EN374 PPE15
Bulk open loading and unloading CS503	Wear suitable gloves tes	ted to EN374 PPE15



According to the Regulation No. 1907/2006

Page 17 of 29

Product	FUEL OIL EXTRA LIGHT		Date: Edition:	2023/01/ 11
			Edition.	
Equipment cleaning and maintenance CS39	Drain down system prior to equipment break-in or mai gloves (tested to EN374) in combination with 'basic' em			y resistant
Laboratory activities CS36	No other specific measures identified EI20			
Bulk storage CS85	Store substance within a closed system. E84			
Section 2.2 Control of environment	ental exposure			
Product characteristics				
Substance is complex UVCB [PrC3	3]. Predominantly hydrophobic [PrC4a].			
Amounts used				
Fraction of EU tonnage used in re	egion	0.1		
Regional use tonnage (tonnes/ye		2.8e7		
Fraction of Regional tonnage use	•	0.021		
Annual site tonnage (tonnes/year	· · · · · · · · · · · · · · · · · · ·	6.0e5		
Maximum daily site tonnage (kg/		2.0e6		
Frequency and duration of use	44,1	2.000		
Continuous release [FD2].				
Emission days (days/year)		300		
Environmental factors not influe	nced by risk management	300		
ocal freshwater dilution factor		10		
ocal marine water dilution facto	ır	100		
	ns affecting environmental exposure	1500		
	ess (initial release prior to RMM)	1.0e-2		
·	rom process (initial release prior to RMM)	3.0e-5		
		3.00 3		
Release fraction to soil from proc	cess (initial release prior to RMM)	0.0001		
Technical conditions and measur	es at process level (source) to prevent release			
Common practices vary across si	tes thus conservative process release estimates used [TCS1].			
Technical onsite conditions and r	neasures to reduce or limit discharges, air emissions and rele	ases to soil		
	re is driven by freshwater sediment [TCR1b].			
-	substance to or recover from onsite wastewater [TCR14].			
	e treatment plant, no onsite wastewater treatment required [			
Treat air emission to provide a ty	pical removal efficiency of (%)  receiving water discharge) to provide the required removal	90 90.3		
efficiency (%)	receiving water discharge) to provide the required removal	90.5		
	e treatment plant, provide the required onsite wastewater	0		
removal efficiency of (%)				
Organisation measures to prever	nt/limit release from site			
Prevent discharge of undissolve	d substance to or recover from wastewater [OMS1]. Do n	ot apply indus	strial sludge to n	atural soils
OMS2]. Sludge should be incine	erated, contained or reclaimed OMS3].			
Conditions and measures related	to municipal sewage treatment plant			
	om wastewater via domestic sewage treatment (%)	94.1		
Total efficiency of removal from	wastewater after onsite and offsite	94.1		
(domestic treatment plant) RMN		Ш		
Maximum allowable site tonnage	e (MSafe) based on release following total wastewater	3.3e6		
treatment removal (kg/d)	4			
Assumed domestic sewage treat	ment plant flow (m³/d)	10000		
Conditions and measures related	to external treatment of waste for disposal			
During manufacturing no waste o	of the substance is generated to treat [ETW4].			
Conditions and measures related	to external recovery of waste			
During manufacturing no waste o	of the substance is generated to recover [ERW2].	· 		
Section 3 Exposure Estimation				
3.1. Health				



According to the Regulation No. 1907/2006

Page 18 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

The ECETOC TRA tool has been used to estimate workplace exposures unless otherwise indicated. G21.

#### 3.2. Environment

The Hydrocarbon Block Method has been used to calculate environmental exposure with the Petrorisk model [EE2].

### Section 4 Guidance to check compliance with the Exposure Scenario

#### 4.1. Health

Predicted exposures are not expected to exceed the DN(M)EL when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented. G22.

Where other Risk Management Measures/Operational Conditions are adopted, then users should ensure that risks are managed to at least equivalent levels. G23.

Available hazard data do not enable the derivation of a DNEL for dermal irritant effects. G32. Available hazard data do not support the need for a DNEL to be established for other health effects. G36. Risk Management Measures are based on qualitative risk characterisation. G37.

#### 4.2. Environment

Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures [DSU1]. Required removal efficiency for wastewater can be achieved using onsite/offsite technologies, either alone or in combination [DSU2]. Required removal efficiency for air can be achieved using onsite technologies, either alone or in combination [DSU3]. Further details on scaling and control technologies are provided in SpERC factsheet (<a href="http://cefic.org/en/reach-for-industries-libraries.html">http://cefic.org/en/reach-for-industries-libraries.html</a>). Scaled assessments for EU refineries have been performed using site-specific data and are attached in PETRORISK file attached to IUCLID section 13 – "Site-Specific Production" worksheet [DSU6]. For refinery sites where scaling revealed a condition of unsafe use (i.e., RCRs > 1), a site-specific chemical safety assessment was required [DSU8]. Taking into account the findings of the air- monitoring evaluation on benzene included as the Tier 2 analysis in the Low Boiling Point Naphtha category, the default "Air Removal Efficiency" of 90 % included in the SPERC has been shown to be over-conservative and that 95 % efficiency can safely be claimed in a Tier II analysis. On this basis, the Tier 2 analysis demonstrates that no refineries have RCRs>1 (see PETRORISK file in IUCLID section 13 – "Tier 2 Site Specific Production worksheet").



According to the Regulation No. 1907/2006

Page 19 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

2. Formulation & (Re)packing of Gas Oils (vacuum, hydrocracked & distillate fuels) H304 / non-H304, H315, H332, H351, H373, H411 – Industrial

Section 1 Exposure Scenario Title G non-H304, H315, H332, H351, H373	• • •	acked & distillate fuels) H304 /		
Title				
Formulation & (Re)packing of Substa	nces and Mixtures			
Use Descriptor				
Sector(s) of Use		3, 10		
Process Categories		1, 2, 3, 4, 5, 8a, 8b, 9, 14, 15		
Environmental Release Categories		2		
Specific Environmental Release Cate	gorv	ESVOC SpERC 2.2.v1		
Processes, tasks, activities covered	5-· <i>1</i>			
	of the substance and its	s mixtures in batch or continuous operations, including storage,		
: = :		sation, extrusion, large- and small-scale packing, maintenance,		
sampling and associated laboratory				
Assessment Method				
See Section 3.				
Section 2 Operational conditions ar	nd risk management meas	sures		
Section 2.1 Control of worker expos	sure			
Product characteristics				
Physical form of product	Liquid With potential fo	r aerosol generation [CS138]		
Vapour pressure (kPa)	Liquid, vapour pressure	<0.5 kPa at STP. OC3.		
Concentration of substance in product	Covers percentage subs	stance in the product up to 100 % (unless stated differently) G13		
Frequency and duration of	Covers daily exposures	up to 8 hours (unless stated differently) G2		
use/exposure				
Other Operational Conditions		ore than 20°C above ambient temperature, unless stated differently. G15.		
affecting exposure	Assumes a good basic s	tandard of occupational hygiene is implemented G1.		
ContributingScenarios	Specific Risk Manageme	ent Measures and Operating Conditions		
General measures applicable to all activities CS135	maintained facilities an lines prior to breaking maintenance. Where there is potentia aware of basic actions available; clear up spills	xposure using measures such as contained systems, properly designed and d a good standard of general ventilation. Drain down systems and transfer containment. Drain down and flush equipment where possible prior to all for exposure: Ensure relevant staff are informed of exposure potential and to minimise exposures; ensure suitable personal protective equipment is and dispose of waste in accordance with regulatory requirements; monitor I measures; provide regular health surveillance as appropriate; identify and ctions. G25		
General measures (skin irritants) G19	Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur. Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3			
General exposures (closed systems) CS15	Handle substance withi	n a closed system E47		
General exposures (open systems) CS16	Wear suitable gloves te	sted to EN374 PPE15		
Batch processes at elevated temperatures [CS136]	Provide extract ventilat	ion to points where emissions occur E54		
Process sampling CS2	No other specific measu	ures identified EI20		



According to the Regulation No. 1907/2006

Page 20 of 29

Product	FUEL OIL EXTRA LIGHT	Date:	2023/01/1
		Edition:	11
Drum and batch transfers CS8	Use drum pumps or carefully pour from container E64 Wear chem to EN374) in combination with 'basic' employee training PPE16	ically resistant gloves	(tested
Bulk transfers CS14	Handle substance within a closed system E47 Wear suitable gloves	s tested to EN374 PPE	15
Mixing operations (open systems) CS30	Provide extract ventilation to points where emissions occur E54 V (tested to EN374) in combination with 'basic' employee training Pf	,	tant gloves
Production or preparation or articles by tabletting, compression, extrusion or pelletisation CS100	Wear suitable gloves tested to EN374 PPE15		
Drum and small package filling CS8	Wear suitable gloves tested to EN374 PPE15		
Laboratory activities CS36	No other specific measures identified EI20		
Equipment clean down and maintenance CS39	Drain down system prior to equipment break-in or maintenance. gloves (tested to EN374) in combination with 'basic' employee trai		y resistant
Storage CS67	Store substance within a closed system. E84		

#### Section 2.2 Control of environmental exposur

#### **Product characteristics**

Substance is complex UVCB [PrC3]. Predominantly hydrophobic [PrC4a].

#### Amounts used

Fraction of EU tonnage used in region	0.1
Regional use tonnage (tonnes/year)	2.8e7
Fraction of Regional tonnage used locally	0.0011
Annual site tonnage (tonnes/year)	3.0e4
Maximum daily site tonnage (kg/day)	1.0e5

## Frequency and duration of use

Continuous release [FD2].
Emission days (days/year) 30

## Environmental factors not influenced by risk management

Local freshwater dilution factor	10
Local marine water dilution factor	100

### Other given operational conditions affecting environmental exposure

Release fraction to air from process (after typical onsite RMMs, consistent with EU Solvent	1.0e-2
Emissions Directive requirements)	
Release fraction to wastewater from process (initial release prior to RMM)	2.0e-5
Release fraction to soil from process (initial release prior to RMM)	0.0001

### Technical conditions and measures at process level (source) to prevent release

Common practices vary across sites thus conservative process release estimates used [TCS1].

## Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil

Risk from environmental exposure is driven by freshwater sediment [TCR1b].

Prevent discharge of undissolved substance to or recover from onsite wastewater [TCR14].

If discharging to domestic sewage treatment plant, no onsite wastewater treatment required [TCR9]

Treat air emission to provide a typical removal efficiency of (%)	0
Treat onsite wastewater (prior to receiving water discharge) to provide the required removal	59.9
efficiency (%)	
If discharging to domestic sewage treatment plant, provide the required onsite wastewater	0
removal efficiency of 🖭 (%)	

## Organisation measures to prevent/limit release from site

Prevent discharge of undissolved substance to or recover from wastewater [OMS1]. Do not apply industrial sludge to natural soils [OMS2]. Sludge should be incinerated, contained or reclaimed [OMS3].

## Conditions and measures related to municipal sewage treatment plant

Estimated substance removal from wastewater via domestic sewage treatment (%)

94.1



According to the Regulation No. 1907/2006

Page 21 of 29

Product	FUEL OIL EXTRA LIGHT	Date:	2023/01/13
		Edition:	11

Total efficiency of removal from wastewater after onsite and offsite	94.1
(domestic treatment plant) RMMs (%)	
Maximum allowable site tonnage (MSafe) based on release following total wastewater	6.8e5
treatment removal (kg/d)	
Assumed domestic sewage treatment plant flow (m <sup>3</sup> /d)	2000

### Conditions and measures related to external treatment of waste for disposal

External treatment and disposal of waste should comply with applicable regulations [ETW3].

### Conditions and measures related to external recovery of waste

External recovery and recycling of waste should comply with applicable regulations [ERW1]

### Section 3 Exposure Estimation

#### 3.1. Health

The ECETOC TRA tool has been used to estimate workplace exposures unless otherwise indicated. G21.

#### 3.2. Environment

The Hydrocarbon Block Method has been used to calculate environmental exposure with the Petrorisk model [EE2].

### Section 4 Guidance to check compliance with the Exposure Scenario

#### 4.1 Health

Predicted exposures are not expected to exceed the DN(M)EL when the Risk Management Measures/Operational Conditions outlined ir Section 2 are implemented. G22.

Where other Risk Management Measures/Operational Conditions are adopted, then users should ensure that risks are managed to at least equivalent levels. G23.

Available hazard data do not enable the derivation of a DNEL for dermal irritant effects. G32. Available hazard data do not support the need for a DNEL to be established for other health effects. G36. Risk Management Measures are based on qualitative risk characterisation.

#### 4.2. Environment

Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures [DSU1].

Required removal efficiency for wastewater can be achieved using onsite/offsite technologies, either alone or in combination [DSU2]. Required removal efficiency for air can be achieved using onsite technologies, either alone or in combination [DSU3]. Further details on scaling and control technologies are provided in SpERC factsheet (<a href="http://cefic.org/en/reach-for-industries-libraries.html">http://cefic.org/en/reach-for-industries-libraries.html</a>) [DSU4].



According to the Regulation No. 1907/2006

Page 22 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

3. Use of Gas Oils (vacuum, hydrocracked & distillate fuels) H304 / non-H304, H315, H332, H351, H373, H411 as a Fuel – Industrial

Section 1 Expedito Scanario Title G	as Oils (vacuum hydrosraskad & distillata fuols) U204 /			
non-H304, H315, H332, H351, H373	as Oils (vacuum, hydrocracked & distillate fuels) H304 / , H411			
Title				
Use as a Fuel				
Use Descriptor				
Sector(s) of Use 3				
Process Categories	1, 2, 3, 8a, 8b, 16			
Environmental Release Categories 7				
	gony FSVOC SnFRC 7 12a v1			
Specific Environmental Release Category ESVOC SpERC 7.12a.v1				
Processes, tasks, activities covered				
maintenance and handling of waste.	tives and additive components) and includes activities associated with its transfer, use, equipment			
Assessment Method				
See Section 3.				
Section 2 Operational conditions an				
Section 2.1 Control of worker expos	ure			
Product characteristics	Listing to the state of the sta			
Physical form of product	Liquid With potential for aerosol generation [CS138]			
Vapour pressure (kPa)	Liquid, vapour pressure < 0.5 kPa at STP. OC3.			
Concentration of substance in	Covers percentage substance in the product up to 100 % (unless stated differently) G13			
product	Covers deily expecting up to 9 hours (upless stated differently) C2			
Frequency and duration of	Covers daily exposures up to 8 hours (unless stated differently) G2			
use/exposure Other Operational Conditions	Assumes use at not more than 20°C above ambient temperature, unless stated differently. G15			
affecting exposure	Assumes a good basic standard of occupational hygiene is implemented G1.			
ContributingScenarios	Specific Risk Management Measures and Operating Conditions			
General measures applicable to all	Control any potential exposure using measures such as contained systems, properly designed and			
activities	maintained facilities and a good standard of general ventilation. Drain down systems and transfer			
activities				
CS135	lines prior to breaking containment. Drain down and flush equipment where possible prior to			
	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.			
	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed			
	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal			
	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with			
	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health			
CS135	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25			
	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear			
CS135  General measures (skin irritants)	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25			
CS135  General measures (skin irritants)	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as			
CS135  General measures (skin irritants)	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.			
General measures (skin irritants)	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise			
CS135  General measures (skin irritants)	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3			
General measures (skin irritants) G19 Bulk transfers CS14	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3  Wear suitable gloves tested to EN374. PPE15			
General measures (skin irritants) G19 Bulk transfers CS14 Drum/batch transfers CS8	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3  Wear suitable gloves tested to EN374. PPE15  Wear suitable gloves tested to EN374. PPE15			
General measures (skin irritants) G19  Bulk transfers CS14  Drum/batch transfers CS8  Use as a fuel (closed	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3  Wear suitable gloves tested to EN374. PPE15  Wear suitable gloves tested to EN374. PPE15			
General measures (skin irritants) G19  Bulk transfers CS14  Drum/batch transfers CS8  Use as a fuel (closed systems) GEST_12I, CS107	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3  Wear suitable gloves tested to EN374. PPE15  Wear suitable gloves tested to EN374.PPE15  No other specific measures identified EI20			
General measures (skin irritants) G19  Bulk transfers CS14  Drum/batch transfers CS8  Use as a fuel (closed systems) GEST_12I, CS107  Equipment cleaning and maintenance CS39	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3  Wear suitable gloves tested to EN374. PPE15  Wear suitable gloves tested to EN374.PPE15  No other specific measures identified EI20  Drain down system prior to equipment break-in or maintenance E65 Wear chemically resistant gloves (tested to type EN374) in combination with 'basic' employee training PPE16			
General measures (skin irritants) G19  Bulk transfers CS14  Drum/batch transfers CS8  Use as a fuel (closed systems) GEST_12I, CS107  Equipment cleaning and	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3  Wear suitable gloves tested to EN374. PPE15  Wear suitable gloves tested to EN374. PPE15  No other specific measures identified EI20  Drain down system prior to equipment break-in or maintenance E65 Wear chemically resistant gloves (tested to type EN374) in combination with 'basic' employee training PPE16  Handle substance within a closed system. E84			
General measures (skin irritants) G19  Bulk transfers CS14  Drum/batch transfers CS8 Use as a fuel (closed systems) GEST_12I, CS107  Equipment cleaning and maintenance CS39  Storage CS67	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3  Wear suitable gloves tested to EN374. PPE15  Wear suitable gloves tested to EN374. PPE15  No other specific measures identified EI20  Drain down system prior to equipment break-in or maintenance E65 Wear chemically resistant gloves (tested to type EN374) in combination with 'basic' employee training PPE16  Handle substance within a closed system. E84			
General measures (skin irritants) G19  Bulk transfers CS14  Drum/batch transfers CS8  Use as a fuel (closed systems) GEST_12I, CS107  Equipment cleaning and maintenance CS39  Storage CS67  Section 2.2 Control of environmental	lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3  Wear suitable gloves tested to EN374. PPE15  Wear suitable gloves tested to EN374.PPE15  No other specific measures identified EI20  Drain down system prior to equipment break-in or maintenance E65 Wear chemically resistant gloves (tested to type EN374) in combination with 'basic' employee training PPE16  Handle substance within a closed system. E84			



Product

# **SAFETY DATA SHEET**

According to the Regulation No. 1907/2006

Date:

Page 23 of 29

2023/01/13

TOLLO	IL EXTRA LIGHT	Date. 2025/
		Edition:
Amounts used		
Fraction of EU tonnage used in region		0.1
Regional use tonnage (tonnes/year)		4.5e6
Fraction of Regional tonnage used locally		0.34
Annual site tonnage (tonnes/year)		1.5e6
Maximum daily site tonnage (kg/day)		5.0e6
Frequency and duration of use		
Continuous release [FD2].		T
Emission days (days/year)		300
Environmental factors not influenced by risk management		
Local freshwater dilution factor		10
Local marine water dilution factor		100
Other given operational conditions affecting environmental expo	osure	•
Release fraction to air from process (initial release prior to RMM	1)	5.0e-3
Release fraction to wastewater from process (initial release prio	r to RMM)	0.00001
, , , , , , , , , , , , , , , , , , ,		0.00001
Release fraction to soil from process (initial release prior to RMN	M)	0
Technical conditions and measures at process level (source) to p	revent release	
Common practices vary across sites thus conservative process re	elease estimates used [TCS1].	
Technical onsite conditions and measures to reduce or limit disc	harges, air emissions and release	es to soil
Risk from environmental exposure is driven by freshwater sedim	nent [TCR1b].	
If discharging to domestic sewage treatment plant, no onsite wa	stewater treatment required [TC	CR9].
Treat air emission to provide a typical removal efficiency of (%)		95
Treat onsite wastewater (prior to receiving water discharge) to p	provide the required removal	97.7
efficiency 22(%)		
If discharging to domestic sewage treatment plant, provide the r	equired	60.4
onsite wastewater removal efficiency of 22(%)		
Organisation measures to prevent/limit release from site		
Prevent discharge of undissolved substance to or recover fron	n wastewater [OMS1]. Do not	apply industrial sludge to natural soils
[OMS2]. Sludge should be incinerated, contained or reclaimed [	OMS3].	
Conditions and measures related to municipal sewage treatmer	nt plant	
Estimated substance removal from wastewater via domestic sev		94.1
Total efficiency of removal from wastewater after onsite and off	site (domestic treatment plant)	97.7
RMMs (%)		
Maximum allowable site tonnage (MSafe) based on release follo	wing total wastewater	5.0e6
treatment removal (kg/d) Assumed domestic sewage treatment plant flow (m <sup>3</sup> /d)		2000
		2000
Conditions and measures related to external treatment of waste	•	
Combustion emissions limited by required exhaust emission con	trols [ETW1]. Combustion emissi	ions considered in regional exposure
assessment [ETW2].		
Conditions and measures related to external recovery of waste		
External recovery and recycling of waste should comply with app	olicable regulations [ERW1].	
Section 3 Exposure Estimation		
3.1. Health		
The ECETOC TRA tool has been used to estimate workplace expo	osures unless otherwise indicated	d. G21.
3.2. Environment		
The Hydrocarbon Block Method has been used to calculate envi	ronmental exposure with the Pet	crorisk model [EE2].
Section 4 Guidance to check compliance with the Exposure Sce	nario	
4.1. Health		

**FUEL OIL EXTRA LIGHT** 



According to the Regulation No. 1907/2006

Page 24 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

Predicted exposures are not expected to exceed the DN(M)EL when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented. G22.

Where other Risk Management Measures/Operational Conditions are adopted, then users should ensure that risks are managed to at least equivalent levels. G23.

Available hazard data do not enable the derivation of a DNEL for dermal irritant effects. G32. Available hazard data do not support the need for a DNEL to be established for other health effects. G36. Risk Management Measures are based on qualitative risk characterisation. G37

## 4.2. Environment

Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures [DSU1].

Required removal efficiency for wastewater can be achieved using onsite/offsite technologies, either alone or in combination [DSU2]. Required removal efficiency for air can be achieved using onsite technologies, either alone or in combination [DSU3]. Further details on scaling and control technologies are provided in SpERC factsheet (<a href="https://cefic.org/en/reach-for-industries-libraries.html">https://cefic.org/en/reach-for-industries-libraries.html</a>) [DSU4].



According to the Regulation No. 1907/2006

Page 25 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

4. Use of Gas Oils (vacuum, hydrocracked & distillate fuels) H304 / non-H304, H315, H332, H351, H373, H411 as a Fuel – Professional

permon i exposure acenano nitie d	Gas Oils (vacuum, hydrocracked & distillate fuels) H304 /	
non-H304, H315, H332, H351, H373	s, <b>H411</b>	
Title		
Use as a Fuel		
Use Descriptor		
Sector(s) of Use	22	
Process Categories	1, 2, 3, 8a, 8b, 16	
Environmental Release Categories	9a, 9b	
Specific Environmental Release Cate	egory ESVOC SpERC 9.12b.v1	
Processes, tasks, activities covered		
	itives and additive components) and includes activities associated with its transfer, use, equipment	
maintenance and handling of waste	<u>.                                      </u>	
Assessment Method		
See Section 3.		
Section 2 Operational conditions ar	nd risk management measures	
Section 2.1 Control of worker expos	sure	
Product characteristics		
Physical form of product	Liquid With potential for aerosol generation [CS138]	
Vapour pressure (kPa)	Liquid, vapour pressure <0.5 kPa at STP. OC3.	
Concentration of substance in	Covers percentage substance in the product up to 100 % (unless stated differently) G13	
product	Covers daily exposures up to 8 hours (unless stated differently) G2	
Frequency and duration of use/exposure	Cover's daily exposures up to 8 riours (unless stated differentity) 62	
Other Operational Conditions	Assumes use at not more than 20°C above ambient temperature, unless stated differently. G15.	
affecting exposure	Assumes a good basic standard of occupational hygiene is implemented G1.	
ContributingScenarios	Specific Risk Management Measures and Operating Conditions	
General measures applicable to all	Control any potential exposure using measures such as contained systems, properly designed and maintained facilities and a good standard of general ventilation. Drain down systems and transfe lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment i available; clear up spills and dispose of waste in accordance with regulatory requirements; monito	
activities CS135	maintained facilities and a good standard of general ventilation. Drain down systems and transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to	
activities CS135	maintained facilities and a good standard of general ventilation. Drain down systems and transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25	
activities	maintained facilities and a good standard of general ventilation. Drain down systems and transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and	
activities CS135  General measures (skin irritants) G19	maintained facilities and a good standard of general ventilation. Drain down systems and transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise	
activities CS135  General measures (skin irritants) G19	maintained facilities and a good standard of general ventilation. Drain down systems and transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3	
activities CS135  General measures (skin irritants) G19  Bulk transfers CS14	maintained facilities and a good standard of general ventilation. Drain down systems and transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3  Wear suitable gloves tested to EN374. PPE15  Use drum pumps or carefully pour from container E64 Wear suitable	
activities CS135  General measures (skin irritants) G19  Bulk transfers CS14  Drum/batch transfers CS8	maintained facilities and a good standard of general ventilation. Drain down systems and transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3  Wear suitable gloves tested to EN374. PPE15  Use drum pumps or carefully pour from container E64 Wear suitable gloves tested to EN374.PPE15	
activities CS135  General measures (skin irritants) G19  Bulk transfers CS14  Drum/batch transfers CS8  Refuelling activities CS507  Use as a fuel (closed	maintained facilities and a good standard of general ventilation. Drain down systems and transfe lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance.  Where there is potential for exposure: Ensure relevant staff are informed of exposure potential and aware of basic actions to minimise exposures; ensure suitable personal protective equipment is available; clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; provide regular health surveillance as appropriate; identify and implement corrective actions. G25  Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur.  Wash off skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin effects that may develop. E3  Wear suitable gloves tested to EN374. PPE15  Use drum pumps or carefully pour from container E64 Wear suitable gloves tested to EN374.PPE15  Wear suitable gloves tested to EN374 PPE15  Provide a good standard of general ventilation (not less than 3 to 5 air changes per hour) E11 or	



According to the Regulation No. 1907/2006

Page 26 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

Dura di cata de a una ata mistiga.	
Product characteristics	
Substance is complex UVCB [PrC3]. Predominantly hydrophobic [PrC4a].	
Amounts used	
Fraction of EU tonnage used in region	0.1
Regional use tonnage (tonnes/year)	6.7e6
Fraction of Regional tonnage used locally	0.0005
Annual site tonnage (tonnes/year)	3.3e3
Maximum daily site tonnage (kg/day)	9.2e3
Frequency and duration of use	
Continuous release [FD2].	
Emission days (days/year)	365
Environmental factors not influenced by risk management	
ocal freshwater dilution factor	10
ocal marine water dilution factor	100
Other given operational conditions affecting environmental exposure	
Release fraction to air from wide dispersive use (regional use only) [OOC7]	1.0e-4
Release fraction to wastewater wide dispersive use [OOC8]	0.00001
Release fraction to soil from wide dispersive use (regional use only) [OOC9]	0.00001
Technical conditions and measures at process level (source) to prevent release	
Common practices vary across sites thus conservative process release estimates used [TCS1]	
Technical onsite conditions and measures to reduce or limit discharges, air emissions and release	
TCR1j].  No wastewater treatment required [TCR6].  Treat air emission to provide a typical removal efficiency of (%)	N/A
Freat onsite wastewater (prior to receiving water discharge) to provide the required remeficiency (%)	noval 0
f discharging to domestic sewage treatment plant, provide the required onsite wastew removal efficiency of (%)	rater 0
Organisation measures to prevent/limit release from site	
Prevent discharge of undissolved substance to or recover from wastewater [OMS1]. Do not a Sludge should be incinerated, contained or reclaimed [OMS3].	oply industrial sludge to natural soils [OMS
Conditions and measures related to municipal sewage treatment plant	
Estimated substance removal from wastewater via domestic sewage treatment (%)	94.1
Fotal efficiency of removal from wastewater after onsite and offsite domestic treatment plant) RMMs (%)	94.1
Maximum allowable site tonnage (MSafe) based on release following total wastewater	1.4e5
rreatment removal (kg/d) Assumed domestic sewage treatment plant flow (m³/d)	2000
Conditions and measures related to external treatment of waste for disposal	
Combustion emissions limited by required exhaust emission controls [ETW1]. Combustion	emissions considered in regional exposu
issessment [ETW2].	
Conditions and measures related to external recovery of waste	
External recovery and recycling of waste should comply with applicable regulations [ERW1].  Additional information on the basis for the allocation of the identified OCs and RMMs is conta	ined in PETRORISK file.
Section 3 Exposure Estimation	
Section 3 Exposure Estimation 3.1. Health	



According to the Regulation No. 1907/2006

Page 27 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

The Hydrocarbon Block Method has been used to calculate environmental exposure with the Petrorisk model [EE2].

## Section 4 Guidance to check compliance with the Exposure Scenario

#### 4.1. Health

Predicted exposures are not expected to exceed the DN(M)EL when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented. G22.

Where other Risk Management Measures/Operational Conditions are adopted, then users should ensure that risks are managed to at least equivalent levels. G23.

Available hazard data do not enable the derivation of a DNEL for dermal irritant effects. G32. Available hazard data do not support the need for a DNEL to be established for other health effects. G36. Risk Management Measures are based on qualitative risk characterisation. G37.

### 4.2. Environment

Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures [DSU1]. Required removal efficiency for wastewater can be achieved using onsite/offsite technologies, either alone or in combination [DSU2]. Required removal efficiency for air can be achieved using onsite technologies, either alone or in combination [DSU3]. Further details on scaling and control technologies are provided in SpERC factsheet (http://cefic.org/en/reach-for-industries-libraries.html)
[DSU4].



According to the Regulation No. 1907/2006

Page 28 of 29

Product FUEL OIL EXTRA LIGHT Date: 2023/01/13 Edition: 11

5. Use of Gas Oils (vacuum, hydrocracked & distillate fuels) H304 / non-H304, H315, H332, H351, H373, H411 as a Fuel – Consumer

Consumer						
Section 1 Exposure Scenario Title Gas Oils (vacuum, hydrocracked & distillate fuels) H304 /						
non-H304, H315, H332, H351, H373, H411						
Title						
Use as a Fuel						
Use Descriptor						
Sector(s) of Use			21			
Product Categories			13			
	ase Categories		9a, 9b			
			ESVOC SpERC 9.12c.v1			
Processes, tasks, act			ESVOCSPENCY.IZE.VI			
Covers consumer us						
Assessment Method						
See Section 3.						
· · · · · · · · · · · · · · · · · · ·		d risk management measu	ures			
Section 2.1 Control		osure				
Product characterist						
Physical form of pro		liquid	100.000			
Vapour pressure (kP	,	Liquid, vapour pressure				
Concentration of sul	ostance in	Unless otherwise stated,	, cover concentrations up to 100% [ConsOC1]			
product	+: £		27500-16			
Frequency and dura use/exposure	tion of	up to 420cm2 [ConsOC5	covers use amounts up to 37500g [ConsOC2]; covers skin contact area			
Other Operational			I, covers use frequency up to 0.143 times per day [ConsOC4]; covers			
Conditions affecting		exposure up to 2 hours p				
exposure		exposure up to 2 mours p	Not event [consocial]			
Product Category		Specific Risk Manageme	nt Measures and Operating Conditions			
	Unless otherwise stated, covers concentrations up to 100% [ConsOC1]; covers use up to days/year[ConsOC3]; covers use up to 1 time/on day of use[ConsOC4]; covers skin contact area to 210.00 cm2 [ConsOC5]; for each use event, covers use amounts up to 37500g [ConsOC2]; covers use in room size of 100m3[ConsOC11]; for each use event, covers use in room size of 100m3[ConsOC11]; for each use event, covers use in room size of 100m3[ConsOC11]; for each use event, covers use in room size of 100m3[ConsOC11]; for each use event, covers use in room size of 100m3[ConsOC11]; for each use event, covers use in room size of 100m3[ConsOC11]; for each use event, covers use up to 100% [ConsOC1]; covers use up to 100% [ConsOC2]; covers use up to 100% [ConsOC1]; covers up to 100% [ConsOC1]; cov					
PC13:Fuels Liquid - subcategories added: Automotive Refueling	oc	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC5 outdoor use [ConsOC12]	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 vers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up is; for each use event, covers use amounts up to 37500g [ConsOC2]; covers l; covers use in room size of 100m3[ConsOC11]; for each use event, covers			
- subcategories added: Automotive	OC RMM	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC5 outdoor use [ConsOC12] exposure up to 0.05hr/er	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 vers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up if or each use event, covers use amounts up to 37500g [ConsOC2]; covers covers use in room size of 100m3[ConsOC11]; for each use event, covers vent[ConsOC14];			
- subcategories added: Automotive Refueling	RMM	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC5 outdoor use [ConsOC12] exposure up to 0.05hr/er No specific RMMs develo	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 vers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up is; for each use event, covers use amounts up to 37500g [ConsOC2]; covers provers use in room size of 100m3[ConsOC11]; for each use event, covers vent[ConsOC14];			
- subcategories added: Automotive		days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC52 outdoor use [ConsOC12] exposure up to 0.05hr/er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor use amounts up to 750g	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 vers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up if or each use event, covers use amounts up to 37500g [ConsOC2]; covers covers use in room size of 100m3[ConsOC11]; for each use event, covers vent[ConsOC14];			
- subcategories added: Automotive Refueling PC13:Fuels Liquid - subcategories added: Garden	RMM	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC52 outdoor use [ConsOC12] exposure up to 0.05hr/er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor use amounts up to 750g 100m3[ConsOC11]; for each	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 vers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up i]; for each use event, covers use amounts up to 37500g [ConsOC2]; covers i; covers use in room size of 100m3[ConsOC11]; for each use event, covers vent[ConsOC14];  oped beyond those OCs stated [ConsRMM15] d, covers concentrations up to 100% [ConsOC1]; overs use up to 26 vers use up to 1 time/on day of use[ConsOC4]; for each use event, covers is [ConsOC2]; covers outdoor use [ConsOC12]; covers use in room size of			
- subcategories added: Automotive Refueling PC13:Fuels Liquid - subcategories added: Garden	RMM OC	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC12] outdoor use [ConsOC12] exposure up to 0.05hr/er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor use amounts up to 750g 100m3[ConsOC11]; for er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 vers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up is; for each use event, covers use amounts up to 37500g [ConsOC2]; covers l; covers use in room size of 100m3[ConsOC11]; for each use event, covers vent[ConsOC14];  oped beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; overs use up to 26 vers use up to 1 time/on day of use[ConsOC4]; for each use event, covers [ConsOC2]; covers outdoor use [ConsOC12]; covers use in room size of each use event, covers exposure up to 2.00hr/event[ConsOC14];			
- subcategories added: Automotive Refueling  PC13:Fuels Liquid - subcategories added: Garden Equipment - Use  PC13:Fuels Liquid (subcategories added):  Garden	RMM OC RMM	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC12] exposure up to 0.05hr/er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor use amounts up to 750g 100m3[ConsOC11]; for er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor to 420.00 cm2 [ConsOC5] use in a one car garage	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up it; for each use event, covers use amounts up to 37500g [ConsOC2]; covers [; covers use in room size of 100m3[ConsOC11]; for each use event, covers went[ConsOC14];  Depend beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; overs use up to 26 yers use up to 1 time/on day of use[ConsOC4]; for each use event, covers [ConsOC2]; covers outdoor use [ConsOC12]; covers use in room size of each use event, covers exposure up to 2.00hr/event[ConsOC14];  Depend beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; covers use up to 26 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up to 26 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up (5); for each use event, covers use amounts up to 750g [ConsOC2]; Covers (34m3) under typical ventilation [ConsOC10]; covers use in room size of			
- subcategories added: Automotive Refueling  PC13:Fuels Liquid - subcategories added: Garden Equipment - Use  PC13:Fuels Liquid (subcategories added):  Garden Equipment -	RMM OC RMM OC	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC5] outdoor use [ConsOC12] exposure up to 0.05hr/er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor use amounts up to 750g 100m3[ConsOC11]; for exposure of the variety of the va	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up it; for each use event, covers use amounts up to 37500g [ConsOC2]; covers l; covers use in room size of 100m3[ConsOC11]; for each use event, covers went[ConsOC14];  pped beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; overs use up to 26 yers use up to 1 time/on day of use[ConsOC4]; for each use event, covers [ConsOC2]; covers outdoor use [ConsOC12]; covers use in room size of each use event, covers exposure up to 2.00hr/event[ConsOC14];  pped beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; covers use up to 26 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up its covers use up to 1 time/on day of use[ConsOC4]; covers use in room size of each use event, covers use amounts up to 750g [ConsOC2]; Covers (34m3) under typical ventilation [ConsOC10]; covers use in room size of each use event, covers exposure up to 0.03hr/event [ConsOC14];			
- subcategories added: Automotive Refueling  PC13:Fuels Liquid - subcategories added: Garden Equipment - Use  PC13:Fuels Liquid (subcategories added):  Garden	RMM OC RMM	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC5] outdoor use [ConsOC12] exposure up to 0.05hr/er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor use amounts up to 750g 100m3[ConsOC11]; for exposure of the variety of the va	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up it; for each use event, covers use amounts up to 37500g [ConsOC2]; covers g; covers use in room size of 100m3[ConsOC11]; for each use event, covers went[ConsOC14];  Depend beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; overs use up to 26 yers use up to 1 time/on day of use[ConsOC4]; for each use event, covers g [ConsOC2]; covers outdoor use [ConsOC12]; covers use in room size of each use event, covers exposure up to 2.00hr/event[ConsOC14];  Depend beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; covers use up to 26 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up to 26 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up (3); for each use event, covers use amounts up to 750g [ConsOC2]; Covers (34m3) under typical ventilation [ConsOC10]; covers use in room size of			
- subcategories added: Automotive Refueling  PC13:Fuels Liquid - subcategories added: Garden Equipment - Use  PC13:Fuels Liquid (subcategories added):  Garden Equipment -	RMM OC  RMM OC	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC52] outdoor use [ConsOC12] exposure up to 0.05hr/er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor use amounts up to 750g 100m3[ConsOC11]; for ea No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor to 420.00 cm2 [ConsOC5] use in a one car garage 34m3[ConsOC11]; for ea No specific RMMs develor	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up it; for each use event, covers use amounts up to 37500g [ConsOC2]; covers l; covers use in room size of 100m3[ConsOC11]; for each use event, covers went[ConsOC14];  pped beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; overs use up to 26 yers use up to 1 time/on day of use[ConsOC4]; for each use event, covers [ConsOC2]; covers outdoor use [ConsOC12]; covers use in room size of each use event, covers exposure up to 2.00hr/event[ConsOC14];  pped beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; covers use up to 26 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up to 15]; for each use event, covers use amounts up to 750g [ConsOC2]; Covers  (34m3) under typical ventilation [ConsOC10]; covers use in room size of each use event, covers exposure up to 0.03hr/event [ConsOC14];			
- subcategories added: Automotive Refueling  PC13:Fuels Liquid - subcategories added: Garden Equipment - Use  PC13:Fuels Liquid (subcategories added):  Garden Equipment - Refueling	RMM OC  RMM OC  RMM Of environmenta	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC52] outdoor use [ConsOC12] exposure up to 0.05hr/er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor use amounts up to 750g 100m3[ConsOC11]; for ea No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor to 420.00 cm2 [ConsOC5] use in a one car garage 34m3[ConsOC11]; for ea No specific RMMs develor	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up it; for each use event, covers use amounts up to 37500g [ConsOC2]; covers l; covers use in room size of 100m3[ConsOC11]; for each use event, covers went[ConsOC14];  pped beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; overs use up to 26 yers use up to 1 time/on day of use[ConsOC4]; for each use event, covers [ConsOC2]; covers outdoor use [ConsOC12]; covers use in room size of each use event, covers exposure up to 2.00hr/event[ConsOC14];  pped beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; covers use up to 26 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up to 15]; for each use event, covers use amounts up to 750g [ConsOC2]; Covers  (34m3) under typical ventilation [ConsOC10]; covers use in room size of each use event, covers exposure up to 0.03hr/event [ConsOC14];			
- subcategories added: Automotive Refueling  PC13:Fuels Liquid — subcategories added: Garden Equipment - Use  PC13:Fuels Liquid (subcategories added):  Garden Equipment - Refueling  Section 2.2 Control  Productcharacterist	RMM OC  RMM OC  RMM of environmenta	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC52] outdoor use [ConsOC12] exposure up to 0.05hr/er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor use amounts up to 750g 100m3[ConsOC11]; for ea No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor to 420.00 cm2 [ConsOC5] use in a one car garage 34m3[ConsOC11]; for ea No specific RMMs develor	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up it; for each use event, covers use amounts up to 37500g [ConsOC2]; covers; covers use in room size of 100m3[ConsOC11]; for each use event, covers went[ConsOC14];  Oped beyond those OCs stated [ConsRMM15]  Id, covers concentrations up to 100% [ConsOC1]; overs use up to 26 yers use up to 1 time/on day of use[ConsOC4]; for each use event, covers its [ConsOC2]; covers outdoor use [ConsOC12]; covers use in room size of each use event, covers exposure up to 2.00hr/event[ConsOC14];  Oped beyond those OCs stated [ConsRMM15]  Id, covers concentrations up to 100% [ConsOC1]; covers use up to 26 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up its in each use event, covers use amounts up to 750g [ConsOC2]; Covers (34m3) under typical ventilation [ConsOC10]; covers use in room size of its use event, covers exposure up to 0.03hr/event [ConsOC14]; oped beyond those OCs stated [ConsRMM15]			
- subcategories added: Automotive Refueling  PC13:Fuels Liquid — subcategories added: Garden Equipment - Use  PC13:Fuels Liquid (subcategories added):  Garden Equipment - Refueling  Section 2.2 Control  Productcharacterist	RMM OC  RMM OC  RMM of environmenta	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC5] outdoor use [ConsOC12] exposure up to 0.05hr/er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor use amounts up to 750g 100m3[ConsOC11]; for each of the second consocial cons	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up it; for each use event, covers use amounts up to 37500g [ConsOC2]; covers; covers use in room size of 100m3[ConsOC11]; for each use event, covers went[ConsOC14];  Oped beyond those OCs stated [ConsRMM15]  Id, covers concentrations up to 100% [ConsOC1]; overs use up to 26 yers use up to 1 time/on day of use[ConsOC4]; for each use event, covers its [ConsOC2]; covers outdoor use [ConsOC12]; covers use in room size of each use event, covers exposure up to 2.00hr/event[ConsOC14];  Oped beyond those OCs stated [ConsRMM15]  Id, covers concentrations up to 100% [ConsOC1]; covers use up to 26 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up its in each use event, covers use amounts up to 750g [ConsOC2]; Covers (34m3) under typical ventilation [ConsOC10]; covers use in room size of its use event, covers exposure up to 0.03hr/event [ConsOC14]; oped beyond those OCs stated [ConsRMM15]			
- subcategories added: Automotive Refueling  PC13:Fuels Liquid - subcategories added: Garden Equipment - Use  PC13:Fuels Liquid (subcategories added):  Garden Equipment - Refueling  Section 2.2 Control  Product characterist Substance is comple	RMM OC  RMM OC  RMM of environmenta ics x UVCB [PrC3]. P	days/year[ConsOC3]; cor to 210.00 cm2 [ConsOC5] outdoor use [ConsOC12] exposure up to 0.05hr/er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor use amounts up to 750g 100m3[ConsOC11]; for er No specific RMMs develor Unless otherwise stated days/year[ConsOC3]; cor to 420.00 cm2 [ConsOC5] use in a one car garage 34m3[ConsOC11]; for ea No specific RMMs develor less otherwise stated days/year[ConsOC5] use in a one car garage 34m3[ConsOC11]; for ea No specific RMMs develor lexposure	d, covers concentrations up to 100% [ConsOC1]; covers use up to 52 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up to 1; for each use event, covers use amounts up to 37500g [ConsOC2]; covers; covers use in room size of 100m3[ConsOC11]; for each use event, covers went[ConsOC14];  Oped beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; overs use up to 26 yers use up to 1 time/on day of use[ConsOC4]; for each use event, covers are concentrations up to 2.00hr/event[ConsOC14];  Oped beyond those OCs stated [ConsRMM15]  d, covers concentrations up to 100% [ConsOC1]; covers use up to 26 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up to 26 yers use up to 1 time/on day of use[ConsOC4]; covers skin contact area up to 15]; for each use event, covers use amounts up to 750g [ConsOC2]; Covers (34m3) under typical ventilation [ConsOC10]; covers use in room size of the use event, covers exposure up to 0.03hr/event [ConsOC14]; oped beyond those OCs stated [ConsRMM15]			



## SAFETY DATA SHEET

According to the Regulation No. 1907/2006

Page 29 of 29

Product	FUEL OIL EXTRA LIGHT	FUEL OIL EXTRA LIGHT		2023/01/13
			Edition:	11
Regional use tonnage (tonnes/yea	•	1.6e7		
Fraction of Regional tonnage used	•	0.0005		
Annual site tonnage (tonnes/year)		8.2e3		
Maximum daily site tonnage (kg/d	ay)	2.3e4		
Frequency and duration of use				
Continuous release [FD2].				
Emission days (days/year)		365		
Environmental factors not influen	ced by risk management			
Local freshwater dilution factor		10		
Local marine water dilution factor		100		
Other given operational condition	s affecting environmental exposure			
Risk from environmental exposure	e is driven by humans via indirect exposure (primarily inge	stion) [TCR1j].		
Release fraction to air from wide o	dispersive use (regional only) [OOC7]	1.0e-4		
Release fraction to wastewater fro	om wide dispersive use [OOC8]	0.00001		
Release fraction to soil from wide	dispersive use (regional only) [OOC9]	0.00001		
Conditions and measures related	to municipal sewage treatment plant	•		
Estimated substance removal fror	n wastewater via domestic sewage treatment (%)	94.1		
Maximum allowable site tonnage treatment removal (kg/d)	(MSafe) based on release following total wastewater	3.5e5		
Assumed domestic sewage treatn	nent plant flow (m <sup>3</sup> /d)	2000		
	to external treatment of waste for disposal	•		
Combustion emissions limited by assessment [ETW2].	required exhaust emission controls [ETW1]. Combustion e	missions conside	red in regional ex	posure
Conditions and measures related	to external recovery of waste			
External recovery and recycling of	waste should comply with applicable regulations [ERW1].	<u> </u>		
Section 3 Evnosure Estimation				

### Section 3 Exposure Estimation

### 3.1. Health

The ECETOC TRA tool has been used to estimate consumer exposures, consistent with the content of

ECETOC Report #107 and the Chapter R15 of the IR&CSA TGD. Where exposure determinants differ to these sources, then they are indicated.

## 3.2. Environment

The Hydrocarbon Block Method has been used to calculate environmental exposure with the Petrorisk model [EE2].

### Section 4 Guidance to check compliance with the Exposure Scenario

## 4.1. Health

Predicted exposures are not expected to exceed the DN(M)EL when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented. G22.

Where other Risk Management Measures/Operational Conditions are adopted, then users should ensure that risks are managed to at least equivalent levels. G23

### 4.2. Environment

Further details on scaling and control technologies are provided in SpERC factsheet http://cefic.org/en/reach-forindustries-libraries.html) [DSU4].