INDUSTRIJA NAFTE, d.d.

SAFETY DATA SHEET

According to the Regulation No. 1907/2006

Page 1 of 15

Product Date: 2024/04/22
PANON CRUDE OIL 2024/04/22

Edition: 3

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

- Trade name: PANON CRUDE OIL

- Chemical name:

- Index no.:

- EC no.:

- CAS no.:

- Registration no.: Substances contained in the mixture are exempt from registration in

accordance with Annex V of Regulation (EC) no. 1907/2006 (REACH).

- UFI: 4DNJ-AVQT-M20K-VWCK

- Form: -

- Product code: 1002585

1.2. Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified uses: Industrial: raw material

- Uses advised against: The uses that are in the list above are relevant.

Other uses are not recommended unless an assessment that proves that the related risks are controlled has been conducted before starting that

use.

1.3. Details of the supplier of the safety data sheet

- Manufacturer/supplier: INA-Industrija nafte, d.d.

Address: Av. V. Holjevca 10

pp 555, 10002 Zagreb, HRVATSKA

Phone: 00-385-1-6450-842 / 00-385-1-6451-075 (24 h)

Sustainable Development and Health, Safety and Phone: 00-385-1-6450-803

Environment

- email address of a competent person responsible for the sds@ina.hr

safety data sheet:

1.4. Emergency Telephone Number

- Emergency Service Telephone Number: 112

Ministry of the Interior00-385-1-6192-929Directorate for civil protection00-385-1-4551-792Operative centre for civil protection00-385-1-4814-911

e-mail: occz@civilna-zastita.hr

- Medical Information Telephone Number: 00-385-1-23-48-342

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 (CLP):



According to the Regulation No. 1907/2006

Page 2 of 15

Product
PANON CRUDE OIL
Date: 2024/04/22
Edition: 3

Flam. Liquid 1; H225

Eye Irrit. 2; H319

Asp. Tox. 1; H304

Carc. 1B; H350

STOT SE 3; H336 (central nervous system) STOT RE; H373 (blood, spleen, liver, thymus)

Aquatic Chronic 2: H411

Full text of H-phrases: see section 16.

2.2. Label elements

2.2.1. Labelling according to Regulation (EC) No 1272/2008 (CLP)

Hazard pictograms:









GHS02

GHS07

GHS08

GHS09

Signal word: Danger

Hazard statements (H):	H225	Highly flammable liquid and vapour.	

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H350 May cause cancer.

H373 May cause damage to blood, liver, spleen and/or thymus through

prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements (P): P201 Obtain special instructions before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No

smoking.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P301+ IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P310

P331 Do NOT induce vomiting.

P501 Dispose of contents/container in accordance with legal

regulations.

2.3. Other hazards

The product does not meet the criteria for PBT or vPvB classification in accordance with Annex XIII of REACH.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS



According to the Regulation No. 1907/2006

Page 3 of 15

Product
PANON CRUDE OIL
Date: 2024/04/22
Edition: 3

-Substance:				Mixture:	X			
- Components contributing to product hazardousness:								
Substance name	S	Substance identification			Classification according to Regulation			
	CAS no.	EC no.	Registration no. (REACH)	- [%]	(EC) No 1272/2008 (CLP)			
Crude oil	8002-05-9	232-298-5	Substance is exempt from registration in accordance with Annex V of Regulation (EC) No. 1907/2006 (REACH)	96-97	STOT		Flam. Liq.1; H224 Eye Irrit. 2; H319 Asp. Tox.1; H304 Carc. 1B; H350 STOT SE 3; H336 £ 2; H373 (blood, spleen, liver, thymus) quatic. Chronic 2; H411	
Gasoline, natural	8006-61-9	232-349-1	Substance is exempt from registration in accordance with Annex V of Regulation (EC) No. 1907/2006 (REACH)	3-4	ST		Flam. Liq. 1; H224 Skin Irrit. 2; H315 Asp. Tox. 1; H304 Repr. 2; H361fd Carc. 1B; H350 Muta. 1B; H340 SE 3; H336 (central nervous system) quatic Chronic 2; H411	
Gas condensate	64741-47-5	265-047-3	Substance is exempt from registration in accordance with Annex V of Regulation (EC) No. 1907/2006 (REACH)	<1			Carc. 1B; H350 Muta. 1B; H340 Asp. Tox. 1; H304	
Benzene ⁽¹⁾	71-43-2	200-753-7	-	0,36			Flam. Liq. 2; H225 Carc. 1A; H350 Muta. 1B; H340 STOT RE 1; H372 Asp. Tox. 1; H304 Eye Irrit. 2; H319 Skin Irrit. 2; H315	
Toluene ⁽¹⁾	108-88-3	203-625-9	-	1,44			Flam. Liq. 2; H225 Repr. 2; H361d Asp. Tox. 1; H304 STOT RE 2*; H373 Skin Irrit. 2; H315 STOT SE 3; H336	
Ethylbenzene ⁽¹⁾	100-41-4	202-849-4	-	0,57	STO	TC	Flam. Liq. 2; H225 Acute Tox. 4*; H332 RE 2; H373 (hearing organs) Asp. Tox. 1; H304	
p-xylene ⁽¹⁾ m- xylene ⁽¹⁾	106-42-3 108-38-3	203-396-5 203-576-3	-	1,99			Flam. Liq. 3; H226 Acute Tox. 4*; H332 Acute Tox. 4*; H312 Skin Irrit 2; H315	



According to the Regulation No. 1907/2006

Page 4 of 15

oduct		PANON	CRUDE OIL		Date: Edition:	2024/04/22 3	
o- xylene ⁽¹⁾	95-47-6	202-422-2	-	0,56	Acut Acut	m. Liq. 3; H226 te Tox. 4*; H332 te Tox. 4*; H312 n Irrit 2; H315	
Mercury ⁽¹⁾	7439-97-6	231-106-7	-	0,0000 0035	Repr. 1B; H360D*** Acute Tox. 2 *; H330 STOT RE 1; H372** Aquatic Acute 1; H400 Aquatic Chronic 1; H410		

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

- general information: In case of ingestion, always assume aspiration into the lungs has occurred,

accompanied by the pulmonary oedema hazard. Show the label on the

packaging or the SDS.

- after inhalation: Remove the person from dangerous area to fresh air. In case of headache,

dizziness, nausea, and permanent complaints immediately seek medical attention. In case of difficulty in breathing or respiratory arrest, open airways, initiate resuscitation (heart massage and artificial respiration) and

immediately seek medical attention.

- after skin contact: Take the soaked clothing and footwear off in a safe manner. Rinse thoroughly

the places of contact with water and soap for 10-15 minutes. In case of

irritation, swelling or redness immediately seek medical assistance.

- after eye contact: Remove contact lenses (if present) and flush the eyes with running water for

at least 15 minutes. In case of irritation, blurred vision and swelling

immediately seek medical attention.

- after ingestion: Do NOT induce vomiting! Do not give anything by mouth. Always assume

aspiration into the lungs has occurred. If vomiting occurs, keep the head below the level of hips in order to prevent penetration into the lungs.

Immediately seek medical attention.

- personal protective equipment for first aid

responder:

No data available.

4.2 Most important symptoms and effects, both acute and delayed

- after inhalation: May cause drowsiness or dizziness.

- after skin contact: Repeated exposure may cause skin dryness or cracking.

- after eye contact: Redness, strong eye irritation.

- after ingestion: May cause nausea or headache. May cause lung damage if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Only qualified medical personnel should administer oxygen.

SECTION 5. FIREFIGHTING MEASURES



According to the Regulation No. 1907/2006

Page 5 of 15

Product
PANON CRUDE OIL
Date: 2024/04/22
Edition: 3

5.1 Extinguishing media

- SUITABLE: Air foam, firefighting powder class B, water mist for large fires, for smaller fires CO₂,

sand or earth is allowed.

- UNSUITABLE: Water jet.

5.2 Special hazards arising from the substance or mixture:

- Hazardous combustion products: Carbon monoxide can develop in case of incomplete

combustion. Unidentified organic and inorganic

compounds.

- Hydrocarbon vapours: Vapours, as heavier than air, remain close to the

ground and in recesses; they may spread along ground, remote ignition is possible. Vapours float, repeated ignition is possible on water surface.

5.3 Advice for firefighters:

- Firefighting measures for special hazards: Remove all ignition sources, if required call firemen.

Particularly take into account that there is a risk of creating an explosive mixture with air at room

temperatures.

- Special firefighting methods: Use of water mist and spray for cooling the storage

tank surfaces, equipment and access to affected area. Use of water mist and spray for cooling of undamaged storage tanks surfaces exposed to heat and for protection of persons. Only those trained in firefighting/fire protection may use water spray

(dispersed water).

- Special protective equipment for firefighters: Self-contained open circuit compressed air

breathing apparatus (HRN EN 137).

Wear protective clothing for firefighters (intervention suit) in accordance with HRN EN 469.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment: Use personal protective equipment listed in section

8 and remove unprotected persons from the

affected area immediately.

- Accident prevention procedures: Display a visible sign prohibiting entrance, use of

open flame and sparking devices. Eliminate all sources of ignition. Measure the concentration of fumes in the air, in compliance with regulations. Do not inhale vapours, evaporation. Do not smoke.



According to the Regulation No. 1907/2006

Page 6 of 15

Product
PANON CRUDE OIL
Date: 2024/04/22
Edition: 3

- Procedure in case of accident:

Stand upwind from the spill site. Prevent product spread if this can be done in a safely manner. Define the risk area and prevent discharging and spilling into watercourses, canals, drainage systems and soil by digging out a protective ditch, fencing it with bags filled with dry sand, soil, or clay. Provide good ventilation of the area. In case of larger spills notify

the at the number 112.

6.1.2. For emergency responders:

Insulate the spill area. Use personal protective equipment listed in Section 8 and remove unprotected persons from the affected area

immediately.

6.2 Environmental precautions:

Prevent product spread if this can be done in a safely manner. Insulate the spill area. Mark out the contaminated area with signs and prevent leaks and spills into watercourses, channels, drainage systems and soil by digging a protective ditch, setting up partitions made of bags of dry sand, soil, or clay.

6.3 Methods and material for containment and cleaning up

6.3.1. For bunding, covering and capping:

Dig a protective ditch around the discharge area, enclose with bags filled with dry sand, earth, or clay.

6.3.2. For cleaning up:

Pump the product from the damaged tank into an empty tank - container with the pump designed for use in a potentially explosive atmosphere. Absorb the remainders with absorbents (sawdust, sand, mineral adsorbents, or other inert materials). Store the waste material and contaminated surface layer of soil that was removed in tightly closed containers in well-ventilated premises until disposal. Hand over for disposal to legal entities for hazardous waste disposal, authorized by the Ministry in charge of environmental protection.

6.3.3. Other information: In case of spillage into waterways, call 112.

6.4 Reference to other sections: See sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

7.1.1 Safe handling advice:

Re-loading i.e., unloading/loading shall be performed in open space with proper equipment. Follow occupational safety and fire safety measures. Keep away from heat sources and remove all ignition sources. Provide good ventilation of the area.



According to the Regulation No. 1907/2006

Page 7 of 15

Product
PANON CRUDE OIL
Date: 2024/04/22
Edition: 3

7.1.2 Advice on general occupational hygiene:

Do not smoke, eat, drink, or keep food in a room where this product is handled. It is mandatory to wear prescribed work suit, rubber boots, protective gloves and googles. Personal clothing should be kept separately from work clothing and workplace. Heavily soiled, soaked, or torn clothing should be immediately replaced.

7.2 Conditions for safe storage, including any incompatibilities

- SUITABLE: Store in tightly closed containers, properly built and equipped where adequate

temperature is provided and ensure good ventilation of the area. Take preventive measures against electrostatic charge. Make sure that receiving tank farms are

below self-supporting tanks.

- TO BE AVOIDED: All other, especially storage close to waterways.

- Packaging materials

- RECOMMENDED: Original as made by the tank/container manufacturer with valid certification.

- NOT SUITABLE: Any other.

7.3 Specific end use(s):

No data available.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Hazardous substance (CAS No.)	(OF) (STELL)		Biological limit values	
	ppm	mg/m³		
benzene (71-43-2)	1/-	3,25/-	28 μg /L (0,36 μmol/L) – blood immediately at the end of work shift	
			46 μg/g of creatinine* (21,7 μmol/mol of creatinine*) – urine sample at the end of work shift	
toluene (108-88-3)	50/100	192/384	1,0 mg/L (10,85 µmol/L) — blood at the end of work shift 0,83 µmol/L (20 ppm) — in extremely exhaled air during exposure period	



According to the Regulation No. 1907/2006

Page 8 of 15

Product	oduct PANON CRUDE OIL		Date:	2024/04/22
			Edition:	3
	ethylbenzene (100-41-4)	100/442	200/884	1,50 mg/L (14,1 µmol/L) — blood during exposure 1,50 g/g creatinine* (1,12 mol/mol creatinine*) — urine sample at the end of work shift and at the end of work week
	o,m,p-xylene (95-47-6, 108-38-3, 106-42-3)	50/221	100/442	1,50 mg/L (14,13 µmol/L) – blood immediately at the end of work shift, alcohol consummation before exposure increases finding of xylene 1,50 g/g creatinine* (0,88 mol/mol creatinine*) – urine sample at the end of work shift
	mercury (7439-97-6)	-/0,02	-/-	10 μg/L (0,05 μmol/L) – blood is not critical 30 μg/g creatinine* (16,9 μmol/mol creatinine*) – urine, single sample or urine collected during 24 hours

- Monitoring procedures: Measuring oxygen concentrations in air, according to the regulations.

8.2. Exposure controls

- Summary of risk management measures: Provide good ventilation / air outlet in the premises.

8.2.1 Occupational exposure controls

- Description of operating procedure and technological control:

Provide good ventilation / air outlet of work area. Provide a decontamination sprayer for the eyes and face. Adopt personal hygiene measures: wash the hands after contact with the product, especially before eating, drinking and/or smoking. Regularly maintain and wash the clothing and equipment after use to remove dirt. Properly dispose of the contaminated clothing and equipment. Maintain cleanliness in accordance with good practice. Educate the employees on the hazards and control measures. Test and maintain the equipment used when handling crude oil: for example, personal protective equipment and ventilation system. Do not swallow.



According to the Regulation No. 1907/2006

Page 9 of 15

Product Date: 2024/04/22 PANON CRUDE OIL Edition: 3

If swallowed, seek medical attention.

8.2.2 Personal protective equipment

- respiratory protection: In case of accident, if concentration is greater than OEL protective mask

> (HRN EN 136) or with filter "A" (HRN EN 14387) should be used, while at oxygen concentrations lower than 17%, self-contained open circuit compressed air breathing apparatus (HRN EN 137) should be used.

- hand protection: Wear protective gloves made of stable and impermeable material. In

> case of full contact, wear gloves made of nitrile rubber, 0.40 mm thick; in contact with drops wear gloves made of nitrile rubber, 0.11 mm thick. In case of longer exposure use gloves made of Viton (HRN EN 374).

- eye/face protection: Protective goggles or a visor (HRN EN ISO 16321).

- skin and body protection: Use chemical resistant gloves, clothing, and apron (where there is a risk

of splashing).

- Special hygienic and Regularly maintain the prescribed hygiene standards for working with

> hazardous substances. Remove contaminated clothing and footwear. Inspect the equipment and devices regularly and maintain with running water. Do not smoke, eat, and drink when handling the product. Wash

hands before breaks and at the end of work.

8.2.3 Environmental exposure controls

- Summary of risk management measures: No data available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

- physical state: liquid

safety precautions:

Dark brown. - colour:

- odour: Characteristic, after hydrocarbons.

- odour threshold: No data available.

- pH value (indicate conc. and temp.): No data. - melting point/freezing point: °C No data. °C 68.5 - 380.5- boiling point/boiling range:

- flash point: °C < -31 - evaporation rate: No data.

- flammability (solid, gas): Highly flammable liquid and vapour.

- explosive limits: vol. % No data. 36.0 - vapour pressure at 50°C: kPa - vapour density at 15°C: kg/m³ No data. 0.848 - relative density:

- density at 15°C: kg/m³ 848.0 Soluble. - solubility (toluene, xylene): g/L



According to the Regulation No. 1907/2006

Page 10 of 15

Product Date: 2024/04/22 **PANON CRUDE OIL** Edition: 3 - solubility in water: g/L Not soluble. - partition coefficient n-octanol / water No data. logPow °C 246 - auto ignition temperature: °C - decomposition temperature: No data. - kinematic viscosity: mm2/s 7.607 (at 20 °C) 4.224 (at 40 °C) - oxidizing properties: Non-oxidizing. - conductivity: pS/m 113 200 9.2. Other information: No data available.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity: Stable under recommended handling and storage

conditions.

10.2 Chemical stability:Stable under recommended handling and storage

conditions.

10.3 Possibility of hazardous reactions: Potentially hazardous reactions are not known.

10.4 Conditions to avoid: Sources of heat, flame, spark.

10.5 Incompatible materials: Strong oxidants.

10.6 Hazardous decomposition products:

None in standard operating conditions and in proper

storage; however thermal decomposition may generate harmful gases, including carbon-monoxide

(CO).

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

- Acute toxicity

- oral (LD₅₀): $>5000 \text{ mg/kg}_{body \text{ weight}} \text{ (rat)}$

- inhalation (LC₅₀): > 5000 mg/m³ (rat) (if hydrogen sulphide is not present)

- dermal (LD₅₀): $> 2000 \text{ mg/kg}_{\text{body weight}} \text{ (rabbit)}$

- Corrosion/Irritation

- skin: Repeated exposure may cause skin dryness or cracking. (EUH066)

- Serious damage/irritation

- eyes: Causes strong eye irritation. (H319)

- Sensitisation

- skin: At sensitive persons redness and prickle can appear.

- respiratory tract: No data available.

- Germ cell mutagenicity: Not considered mutagenic.
 - Carcinogenicity: May cause cancer. (H350)



According to the Regulation No. 1907/2006

Page 11 of 15

Product
PANON CRUDE OIL
Date: 2024/04/22
Edition: 3

- Reproductive toxicity:
 - STOT (SE):
 Not expected to cause reproductive toxicity.
 - May cause drowsiness or dizziness. (H336)

- STOT (RE): May cause damage to blood, liver, spleen, thymus through

prolonged or repeated exposure (H373).

- Aspiration hazard: May be fatal if swallowed and enters airways (H304).

- Information on likely routes of exposure: No data available.

- Symptoms related to the physical, chemical

and toxicological characteristics:

- Delayed and immediate effects as well as chronic effects from short and long-term

exposure:

May cause nausea or headache. May cause lung damage if

No data available.

11.2. Information on other hazards

- Endocrine disrupting properties: No data available.- Other information: No data available.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

- to aquatic organisms: Toxic for aquatic life with lasting effects.

to ground organisms: No data available.to plants and land animals: No data available.

12.2. Persistence and degradability

biodegradation: Partially degradable.
 other degradation processes: No data available.
 degradation in wastewater: No data available.

12.3. Bioaccumulative potential

- bio-concentration factor (BCF): No data available.

12.4. Mobility in soilMethod: No data available.

- Known or predicted distribution in No data available.

environmental compartments:

surface tension: No data available.
 absorption/desorption: No data available.
 other physical and chemical properties: See Section 9.

12.5. Results of PBT and vPvB assessment

- data from chemical safety report: Product does not meet PBT and vPvB criteria for

classification defined by Annex XIII of REACH Regulation.

12.6. Endocrine disrupting properties:No data available. **12.7. Other adverse effects:**No data available.

HSE_INAG2.6_PD_INA2_R1



According to the Regulation No. 1907/2006

Page 12 of 15

 Product
 Date:
 2024/04/22

 Edition:
 3

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods: Waste shall be handed over to the person authorised for

waste collection, disposal or recovery. If possible, the waste

shall be recovered.

- Waste codes: 05 01 05*

- Waste from residues: There is no classic waste from this product, except in case

of unintentional release. For such cases see Section 6.

- Contaminated packaging: Not applicable.

- Relevant provisions: Waste Management Act, Regulation on waste catalogue,

Ordinance on waste management.

SECTION 14. TRANSPORT INFORMATION

14.1 UN number or ID number:

1267

14.2 UN proper shipping name:

CRUDE OIL (vapour pressure at 50 °C not larger than 110 kPa)

ADR/RID/ADN/ICAO/IATA: 3
IMDG: 3

14.4 Packing group

ADR/RID/ADN/IMDG/ICAO/IATA:

14.5 Environmental hazards

14.3 Transport hazard class(es)

ADR, RID, ADN, ICAO/IATA: yes IMDG: yes

14.6 Special precautions for user

ADR RID

Transport category: 2 Transport category: 2

Vehicle for tank carriage: FL Tank code: LGBF

Tank code: LGBF Label: 3

Tunnel restriction code: (D/E)

Label: 3

Classification code: F1

Hazard identification: 33

Classification code: F1

Special provisions: 357, 640D

Hazard identification: 33

Special provisions: 357, 640D, S2, S20

ADN IMDG

Label: 3 Subsidiary risk: -

Additional requirements/Remarks: 14; *see Group of the cargo: category B Special provisions: 357, TP1, TP8



According to the Regulation No. 1907/2006

Page 13 of 15

Product	PANON CRUDE OIL		Date: Edition:	2024/04/22 3
Dangers: 3+(N1, N2, N3, CMR, F) Equipment required: *	EmS: F-E, S-E Segregation gro	up: B		
Classification code: F1				
Carriage permitted: T Type of tank vessel: *				
Anti-explosion protection required: yes	S			
Maximum degree of filling in %: *				
ICAO				
Label: 3				
Cargo IMP code: RFL				
Passenger and cargo aircraft: 5L				
Cargo aircraft only: 60L				
ERG code: 3L				

14.7 Maritime transport in bulk according to IMO instruments

Trade name:

Pollution category (according to MARPOL, Annex II):

Not applicable.

Vessel type (according to IBC Code):

Special and operative requirements (according to IBC Code):

Not applicable.

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Applicable EU regulations: Regulation (EC) No 1907/2006 of the European Parliament and

of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP); Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No

1907/2006 (REACH).

- Applicable national regulations: Act on Chemicals; Ordinance on workers protection to

dangerous chemicals exposure during work, exposure limit values and biological limit values; Act on Waste Management,

on waste management.

- Authorization information: -
- Restriction information: -
- 15.2 Chemical Safety Assessment
- Chemical Safety Assessment carried out (CSA):

 YES X NO



According to the Regulation No. 1907/2006

Page 14 of 15

Product PANON CRUDE OIL Date: 2024/04/22 Edition: 3

16. OTHER INFORMATION

Revision indicators

Section: Subject of change:

1 UFI

2 Classification (Highly flammable liquid; H225)

3 Composition

9 Physical and chemical properties

Full text of H- phrases

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H350 May cause cancer.

H373 May cause damage to blood, liver, spleen and/or thymus through prolonged or

repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

CAS number Chemical Abstract Service number

CLP Classification, Labelling and Packaging of substances and mixtures

CSA Chemical Safety Assessment

CSR Chemical Safety Report

EC number European Community number for identification of chemical substances commercially

available in the EU

IATA International Air Transport Association
ICAO International Civil Aviation Organization

IMDG International Maritime Dangerous Goods Code transport

LC50 Lethal concentration for 50% of tested organisms

LD50 Lethal concentration for 50% of tested organisms (medium lethal concentration)

OIN Oil industry notes

PBT Persistent, bioaccumulative and toxic

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Transport of Dangerous Goods by Rail



According to the Regulation No. 1907/2006

Page 15 of 15

Product	PANON CRUDE OIL Date: 2024/04/22 Edition: 3			
STOT (SE)	Specific Target Organ Toxicity (Single Exposure)			
STOT (RE)	Specific Target Organ Toxicity (Repeated Exposure)			
UFI	Unique formula identifier (according to section 5. Part A of Annex VIII of Regulation (EU) no. 1272/2008)			
UVCB	Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials			
vPvB	Very persistent and very bioaccumulative			

Statement:

This SDS is in compliance with the EU Regulation No. 1907/2006 and No. 1272/2008 of the European Parliament and the Council. It contains important user health and safety and environmental protection information. The information provided herein is not a substitute for any specification of quality and should not be deemed as a guarantee of the adequacy and applicability of this product for any purpose whatsoever. All information provided herein is based on our current knowledge and compliant with applicable legal regulations. The user is responsible for adherence to relevant legal regulations.

Data source:

- 1. www.hzt.hr
- 2. http://echa.europa.eu/hr
- 3. Handbook Identified Uses of Petroleum Substances 2023 Dossier Update, Concawe
- 4. Hazard Classification and Labelling of Petroleum Substances in the EEA 2023, Concawe
- 5. First Aid Reference Guide 2021 update

APPENDIX: EXPOSURE SCENARIOS ACCORDING TO CHEMICAL SAFETY REPORT