

According to the Regulation No. 1907/2006

Page 1 of 15

Product		PODRAVINA MIX CRUDE	OIL	Date: Edition:	2024/04/22 3
SECTION 1.	IDENTIFICATION OF	THE SUBSTANCE / MIXTURE	AND OF THE CO	MPANY / UN	IDERTAKING
1.1. Product	t identifier				
- Trade nam	ie:	PODRAVINA MIX CRUDE	OIL		
- Chemical r	name:	-			
- Index no.:		-			
- EC no.:		-			
- CAS no.:		-			
- Registratio	on no.:	Substances that are of registration in accordan (REACH).			
- UFI:		JGNJ-UVE6-X203-H7XN			
- Form:		-			
- <b>Product code:</b> 1002586					
1.2. Relevar	nt identified uses of	the substance or mixture and	l uses advised a	gainst	
- Relevant ic	dentified uses:	Industrial: raw material			
- Uses advis	ed against:	The uses that are in the	list above are re	elevant.	
		Other uses are not reco the related risks are co use.			-
1.3. Details	of the supplier of th	e safety data sheet			
- Manufactı	ırer/supplier:	INA-Industrija nafte, d.d	l.		
Address:	Av. V. Holjevca 1	.0			
	pp 555 <i>,</i> 10002 Z	agreb, HRVATSKA			
Phone:	00-385-1-6450-8	342 / 00-385-1-6451-075 (24	h)		
Fax:	00-385-1-6452-(	)50			
Sustainable Environmen	Development and H It	lealth, Safety and	Phone: 00-385	5-1-6450-803	3
- email addı safety data s	-	t person responsible for the	<u>sds@ina.hr</u>		
1.4. Emerge	ncy Telephone Nun	nber			
- Emergency	y Service Telephone	Number:	112		
Ministry of t	the Interior		00-385-1-6192-929		
Directorate	for civil protection		00-385-1-4552	1-792	
-	entre for civil prote	ction	00-385-1-4814	4-911	
e-mail: <u>occz</u>	@civilna-zastita.hr				
- Medical In	formation Telephor	e Number:	00-385-1-23-4	8-342	

### SECTION 2. HAZARDS IDENTIFICATION



According to the Regulation No. 1907/2006

Page 2 of 15

	PODRAV	INA MIX CRUDE OIL	Date: Edition:	2024/04/22 3
2.1. Classification of the subst	tance or mixtur	re		
2.1.1. Classification according	to Regulation	(EC) No 1272/2008 (CLP):		
Flam. Liquid 2; H225				
Eye Irrit. 2; H319				
Asp. Tox. 1; H304				
Carc. 1B; H350				
Muta. 1B; H340				
STOT SE 3; H336				
STOT RE; H373 (blood, spleen	, liver, thymus)	)		
Aquatic Chronic 2; H411				
Full text of H-phrases: see sec	tion 16.			
2.2. Label elements				
2.2.1. Labelling according to F	Regulation (EC)	No 1272/2008 (CLP)		
Hazard pictograms:				
$\wedge \wedge \wedge$	AV			
< 🥙 🔨 ! 🖂				
GHS02 GHS07 GHS	608 GHS09			
GHS02 GHS07 GHS Signal word: Danger	08 GHS09			
	608 GHS09	Highly flammable liquid and	l vapour.	
Signal word: Danger		Highly flammable liquid and May be fatal if swallowed a	-	γs.
Signal word: Danger	H225		nd enters airwa	ys.
Signal word: Danger	H225 H304	May be fatal if swallowed a	nd enters airwa <sup>.</sup> n.	ys.
Signal word: Danger	H225 H304 H319	May be fatal if swallowed a Causes serious eye irritation	nd enters airwa <sup>.</sup> n.	ys.
Signal word: Danger	H225 H304 H319 H336	May be fatal if swallowed an Causes serious eye irritation May cause drowsiness or di	nd enters airwa <sup>.</sup> n.	ys.
Signal word: Danger	H225 H304 H319 H336 H340	May be fatal if swallowed an Causes serious eye irritation May cause drowsiness or di May cause genetic defects.	nd enters airwa n. zziness. I, liver, spleen ar	
Signal word: Danger	H225 H304 H319 H336 H340 H350	May be fatal if swallowed an Causes serious eye irritation May cause drowsiness or di May cause genetic defects. May cause cancer. May cause damage to blood	nd enters airwa n. zziness. I, liver, spleen ar osure.	nd/or thymus throu
Signal word: Danger	H225 H304 H319 H336 H340 H350 H373	May be fatal if swallowed an Causes serious eye irritation May cause drowsiness or di May cause genetic defects. May cause cancer. May cause damage to blood prolonged or repeated expo	nd enters airwa n. zziness. I, liver, spleen ar osure. ng lasting effects	nd/or thymus throu s.
Signal word: Danger	H225 H304 H319 H336 H340 H350 H373 H411	May be fatal if swallowed at Causes serious eye irritation May cause drowsiness or di May cause genetic defects. May cause cancer. May cause damage to blooc prolonged or repeated expo Toxic to aquatic life with lor	nd enters airway n. zziness. I, liver, spleen ar osure. ng lasting effects use skin dryness	nd/or thymus throu s.
Signal word: <b>Danger</b> Hazard statements (H): Precautionary statements	H225 H304 H319 H336 H340 H350 H373 H411 EUH066	May be fatal if swallowed at Causes serious eye irritation May cause drowsiness or di May cause genetic defects. May cause cancer. May cause damage to blooc prolonged or repeated expo Toxic to aquatic life with lon Repeated exposure may cau	nd enters airway n. zziness. I, liver, spleen ar osure. ng lasting effects use skin dryness before use.	nd/or thymus throu s. s or cracking.
Signal word: <b>Danger</b> Hazard statements (H): Precautionary statements	H225 H304 H319 H336 H340 H350 H373 H411 EUH066 P201	May be fatal if swallowed at Causes serious eye irritation May cause drowsiness or di May cause genetic defects. May cause cancer. May cause damage to blooc prolonged or repeated expo Toxic to aquatic life with lon Repeated exposure may cau Obtain special instructions b Keep away from heat/spa	nd enters airwar n. zziness. I, liver, spleen ar osure. ng lasting effects use skin dryness before use. rks/open flame	nd/or thymus throu s. s or cracking. s/hot surfaces. – 1
Signal word: <b>Danger</b> Hazard statements (H): Precautionary statements	H225 H304 H319 H336 H340 H350 H373 H411 EUH066 P201 P210	May be fatal if swallowed at Causes serious eye irritation May cause drowsiness or di May cause genetic defects. May cause cancer. May cause damage to blood prolonged or repeated expo Toxic to aquatic life with lon Repeated exposure may cau Obtain special instructions b Keep away from heat/span smoking. Wear protective gloves/pro	nd enters airway n. zziness. d, liver, spleen ar osure. ng lasting effects use skin dryness before use. rks/open flame otective clothing	nd/or thymus throu s. s or cracking. s/hot surfaces. – f g/eye protection/fa



According to the Regulation No. 1907/2006

Page 3 of 15

Product	Date:	2024/04/22
PODRAVINA MIX CRUDE OIL	Edition:	3

P501

Dispose of contents/container in accordance with legal regulations.

### 2.3. Other hazards

The product does not meet the criteria for PBT or vPvB classification in accordance with Annex XIII of REACH.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS							
-Substance:				Mixture:	X		
- Components cor	ntributing to pr	oduct hazardo	usness:				
Substance name	Substance identification			[%]	Classification according to Regulatio		
Substance name	CAS no. EC no. Registration no. (REACH)		[/0]	(	EC) No 1272/2008 (CLP)		
Crude oil	8002-05-9	232-298-5	Substance is exempt from registration in accordance with Annex V of Regulation (EC) No. 1907/2006 (REACH)	51.9		Flam. Liq.2; H225 Eye Irrit. 2; H319 Asp. Tox.1; H304 Carc. 1B; H350 STOT SE 3; H336 E 2; H373 (blood, spleen, liver, thymus) Aquatic. Chronic 2; H411	
Gas condensate	64741-47-5	265-047-3	Substance is exempt from registration in accordance with Annex V of Regulation (EC) No. 1907/2006 (REACH)	48.1		Karc. 1B; H350 Muta. 1B; H340 Aspir. toks. 1; H304	
Benzene <sup>(1)</sup>	71-43-2	200-753-7	-	1.01		Flam. Liq. 2; H225 Carc. 1A; H350 Muta. 1B; H340 STOT RE 1; H372 Asp. Tox. 1; H304 Eye Irrit. 2; H319 Skin Irrit. 2; H315	
Toluene <sup>(1)</sup>	108-88-3	203-625-9	-	2.72		Flam. Liq. 2; H225 Repr. 2; H361d Asp. Tox. 1; H304 STOT RE 2*; H373 Skin Irrit. 2; H315 STOT SE 3; H336	
Ethylbenzene <sup>(1)</sup>	100-41-4	202-849-4	-	0.48	STOT	Flam. Liq. 2; H225 Acute Tox. 4*; H332 RE 2; H373 (hearing organs) Asp. Tox. 1; H304	
p-xylene <sup>(1)</sup> m- xylene <sup>(1)</sup>	106-42-3 108-38-3	203-396-5 203-576-3	-	2.99		Flam. Liq. 3; H226 Acute Tox. 4*; H332 Acute Tox. 4*; H312 Skin Irrit 2; H315	
o- xylene (1)	95-47-6	202-422-2	-	0.85		Flam. Liq. 3; H226 Acute Tox. 4*; H332 Acute Tox. 4*; H312	



According to the Regulation No. 1907/2006

Page 4 of 15

Product		PODRAVINA MIX CRUDE OIL		Date: Edition:	2024/04/22 3	
					SI	kin Irrit 2; H315
Mercury <sup>(1)</sup>	7439-97-6	231-106-7	-	0.0001 362	Ak Ak Ti Ak. tok	or. 1B; H360D*** . toks. 2 *; H330 COP 1; H372** s. vod. okol. 1; H400 ks. vod. okol. 1; H410

#### SECTION 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Cu	
4.2 Most important sympto	ms and effects, both acute and delayed
<ul> <li>personal protective</li> <li>equipment for first aid</li> <li>responder:</li> </ul>	No data available.
- after ingestion:	Do NOT induce vomiting! Do not give anything by mouth. Always assume aspiration into the lungs has occurred. If vomiting occurs, keep the head below the level of hips in order to prevent penetration into the lungs. Immediately seek medical attention.
- after eye contact:	Remove contact lenses (if present) and flush the eyes with running water for at least 15 minutes. In case of irritation, blurred vision and swelling immediately seek medical attention.
- after skin contact:	Take the soaked clothing and footwear off in a safe manner. Rinse thoroughly the places of contact with water and soap for 10-15 minutes. In case of irritation, swelling or redness immediately seek medical assistance.
- after inhalation:	Remove the person from dangerous area to fresh air. In case of dizziness, nausea, headache, and permanent complaints immediately seek medical attention. In case of difficulty in breathing or respiratory arrest, open airways, initiate resuscitation (heart massage and artificial respiration) and immediately seek medical attention.
- general information:	In case of ingestion, always assume aspiration into the lungs has occurred, accompanied by the pulmonary oedema hazard. Show the label on the packaging or the SDS.

- after inhalation:	May cause drowsiness or dizziness.	
arter minalation.	whay cause arowshitess of allelitess.	

- after skin contact: Repeated exposure may cause skin dryness or cracking.
- after eye contact: Redness, strong eye irritation.
- after ingestion: May cause nausea or headache. May cause lung damage if swallowed.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Only qualified medical personnel should administer oxygen.

#### SECTION 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media



According to the Regulation No. 1907/2006

Page 5 of 15

Product	PODRAVINA MIX	CRUDE OIL	Date: Edition:	2024/04/22 3
- SUITABLE:	Air foam, firefighting powde sand or earth is allowed.	er class B, water mist	for large fires	, for smaller fires $CO_2$ ,
- UNSUITABLE:	Water jet.			
5.2 Special hazards	arising from the substance or mix	ture:		
- Hazardous combus	stion products:			o in case of incomplete rganic and inorganic
- Hydrocarbon vapo	urs:	ground and in ground, remote	recesses; the	, remain close to the ey may spread along ossible. Vapours float, on water surface.
5.3 Advice for firefig	hters:			
- Firefighting measu	res for special hazards:	Particularly tak	e into account	required call firemen. that there is a risk of re with air at room
- Special firefighting methods:		tank surfaces, area. Use of w undamaged sto and for protect	equipment ar vater mist and orage tanks sur ion of persons protection r	for cooling the storage ad access to affected I spray for cooling of faces exposed to heat . Only those trained in may use water spray
- Special protective	equipment for firefighters:	breathing appa Wear protec	ratus (HRN EN ctive clothin	

### SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

- 6.1.1. For non-emergency personnel
- Protective equipment:
- Accident prevention procedures:

Use personal protective equipment listed in section 8 and remove unprotected persons from the affected area immediately.

Display a visible sign prohibiting entrance, use of open flame and sparking devices. Eliminate all sources of ignition. Measure the concentration of fumes in the air, in compliance with regulations. Do not inhale vapours, evaporation. Do not smoke.



According to the Regulation No. 1907/2006

Page 6 of 15

Product	PODRAVINA MIX CRUD	EOIL	Date: Edition:	2024/04/22 3
- Procedure in case of acciden		spread if this can be the risk area and p into watercourses, by digging out a p bags filled with dry	e done in a prevent dis canals, dra protective sand, soil, rea. In case	site. Prevent product safely manner. Define scharging and spilling inage systems and soil ditch, fencing it with or clay. Provide good e of larger spills notify
6.1.2. For emergency respond		equipment listed	in Secti	personal protective on 8 and remove the affected area
6.2 Environmental precaution		safely manner. Insu contaminated area spills into watercou	llate the sp with signs rses, chanr g a protec	his can be done in a bill area. Mark out the and prevent leaks and hels, drainage systems tive ditch, setting up sand, soil, or clay.
6.3 Methods and material for	containment and cleaning up	)		
6.3.1. For bunding, covering a	nd capping:			d the discharge area, ry sand, earth, or clay.
6.3.2. For cleaning up:		empty tank – conta use in a potentially the remainders w mineral adsorbents the waste material of soil that was rem in well-ventilated p for disposal to leg	iner with t v explosive ith absorb , or other and conta oved in tig remises un al entities d by the l	damaged tank into an he pump designed for atmosphere. Absorb ents (sawdust, sand, inert materials). Store minated surface layer htly closed containers til disposal. Hand over for hazardous waste Ministry in charge of
6.3.3. Other information:		In case of spillage ir	nto waterw	ays, call 112.
6.4 Reference to other section		See sections 8 and		

### SECTION 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

7.1.1 Safe handling advice:Re-loading i.e., unloading/loading shall be performed in open space with<br/>proper equipment. Follow occupational safety and fire safety measures.<br/>Keep away from heat sources and remove all ignition sources. Provide good<br/>ventilation of the area.



According to the Regulation No. 1907/2006

Page 7 of 15

Product		Date:	2024/04/22
	PODRAVINA MIX CRUDE OIL	Edition:	3

7.1.2 Advice on general<br/>occupational hygiene:Do not smoke, eat, drink, or keep food in a room where this product is<br/>handled. It is mandatory to wear prescribed work suit, rubber boots,<br/>protective gloves and googles. Personal clothing should be kept separately<br/>from work clothing and workplace. Heavily soiled, soaked, or torn clothing<br/>should be immediately replaced.

### 7.2 Conditions for safe storage, including any incompatibilities

- SUITABLE: Store in tightly closed containers, properly built and equipped where adequate temperature is provided and ensure good ventilation of the area. Take preventive measures against electrostatic charge. Make sure that receiving tank farms are below self-supporting tanks.
- TO BE AVOIDED: All other, especially storage close to waterways.
- Packaging materials
- RECOMMENDED: Original as made by the tank/container manufacturer with valid certification.
- NOT SUITABLE: Any other.
- 7.3 Specific end use(s): No data available.

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

Hazardous substance (CAS No.)	Occupational exposure limit values/short term values (OEL/STEL)		Biological limit values
	ppm	mg/m³	
benzene (71-43-2)	1/-	3,25/-	28 μg /L (0,36 μmol/L) – blood immediately at the end of work shift 46 μg/g of creatinine* (21,7 μmol/mol of creatinine*) – urine sample at the end of work shift
toluene (108-88-3)	50/100	192/384	1,0 mg/L (10,85 μmol/L) – blood at the end of work shift 0,83 μmol/L (20 ppm) – in extremely exhaled air during exposure period

According to the Regulation No. 1907/2006

Page 8 of 15



Product	PODRAVINA M	IIX CRUDE OIL	Date: Edition:	2024/04/22 3
	lbenzene 10-41-4)	100/442	200/884	1,50 mg/L (14,1 μmol/L) – blood during exposure 1,50 g/g creatinine* (1,12 mol/mol creatinine*) – urine sample at the end of work shift and at the end of work week
	p-xylene 8-38-3, 106-42-3)	50/221	100/442	1,50 mg/L (14,13 μmol/L) – blood immediately at the end of work shift, alcohol consummation before exposure increases finding of xylene 1,50 g/g creatinine* (0,88 mol/mol creatinine*) – urine sample at the end of work shift
	ercury 39-97-6)	-/0,02	-/-	10 μg/L (0,05 μmol/L) – krv nije kritično 30 μg/g kreatinina* (16,9 μmol/mol kreatinina*) – mokraća, jednokratni uzorak ili mokraća skupljena tijekom 24 sata

- Monitoring procedures: Measuring oxygen concentrations in air, according to the regulations.

8.2. Exposure controls

- Summary of risk management measures: Provide good ventilation / air outlet in the premises.

#### 8.2.1 Occupational exposure controls

### - Description of operating procedure and technological control:

Provide good ventilation / air outlet of work area. Provide a decontamination sprayer for the eyes and face. Adopt personal hygiene measures: wash the hands after contact with the product, especially before eating, drinking and/or smoking. Regularly maintain and wash the clothing and equipment after use to remove dirt. Properly dispose of the contaminated clothing and equipment. Maintain cleanliness in accordance with good practice. Educate the employees on the hazards and control measures. Test and maintain the equipment used



According to the Regulation No. 1907/2006

Page 9 of 15

Product		Date:	2024/04/22
	PODRAVINA MIX CRUDE OIL	Edition:	3

when handling crude oil: for example, personal protective equipment and ventilation system. Do not swallow. If swallowed, seek medical attention.

### 8.2.2 Personal protective equipment

- respiratory protection: In case of accident, if concentration is greater than OEL protective mask (HRN EN 136) or with filter "A" (HRN EN 14387) should be used, while at oxygen concentrations lower than 17%, self-contained open circuit compressed air breathing apparatus (HRN EN 137) should be used.
   hand protection: Wear protective gloves made of stable and impermeable material. In case of full contact, wear gloves made of nitrile rubber, 0.40 mm thick; in contact with drops wear gloves made of nitrile rubber, 0.11 mm thick. In case of longer exposure use gloves made of Viton (HRN EN 374).
   eye/face protection: Protective goggles or a visor (HRN EN ISO 16321).
- skin and body protection: Use chemical resistant gloves, clothing, and apron (where there is a risk of splashing).
- Special hygienic and Regularly maintain the prescribed hygiene standards for working with hazardous substances. Remove contaminated clothing and footwear. Inspect the equipment and devices regularly and maintain with running water. Do not smoke, eat, and drink when handling the product. Wash hands before breaks and at the end of work.

#### 8.2.3 Environmental exposure controls

- Summary of risk management measures: No data available.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

- physical state: - colour:	liquid Dark brown.		
- odour:	Characteristic, by hydrocar	bons.	
- odour threshold:	No data available.		
- pH value (indicate c	onc. and temp.):		No data.
- melting point/freezi	ing point:	°C	No data.
- boiling point/boiling	g range:	°C	69.5 – 361.0
- flash point:		°C	<-31
- evaporation rate:			No dana.
- flammability (solid,	gas):		Highly flammable liquid and vapour.
- explosive limits:		vol. %	No data.
- vapour pressure at	50°C:	kPa	27.0
- vapour density at 15	5°C:	kg/m <sup>3</sup>	No data.
- relative density:			0.8649
- density at 15°C:		kg/m³	814.2



According to the Regulation No. 1907/2006

Page 10 of 15

Date: 2024/04/22 Edition: 3
le.
20°C) 40°C)
zing.
vailable.
ecommended handling and storag ot polymerize.
recommended handling and storag
rdous reactions are not known.
flame, spark.
rd operating conditions and in prope ever thermal decomposition ma ful gases, including carbon-monoxid

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:				
- Acute toxicity				
- oral (LD <sub>50</sub> ):	>5000 mg/kg <sub>body weight</sub> (rat)			
- inhalation (LC <sub>50</sub> ):	> 5000 mg/m <sup>3</sup> (rat) (if hydrogen sulphide is not present)			

- dermal (LD <sub>50</sub> ):	> 2000 mg/kg <sub>body weight</sub> (rabbit)
- Corrosion/Irritation	

Causes strong eye irritation. (H319)

No data available.

Repeated exposure may cause skin dryness or cracking. (EUH066)

May cause genetic defects. (H340)

At sensitive persons redness and prickle can appear.

- skin:
- Serious damage/irritation
- eyes:
- Sensitisation
- skin:
- respiratory tract:
- Germ cell mutagenicity:

HSE\_INAG2.6\_PD\_INA2\_R1



# SAFETY DATA SHEET

According to the Regulation No. 1907/2006

Page 11 of 15

Product PODRAVINA	MIX CRUDE OIL	Date: Edition:	2024/04/22 3
- Carcinogenicity:	May cause cancer. (H350)		
- Reproductive toxicity:	No data available.		
- STOT (SE):	May cause drowsiness or di	zziness. (H3	336)
- STOT (RE):	May cause damage to bloc prolonged or repeated expo	· · ·	
- Aspiration hazard:	May be fatal if swallowed a	nd enters a	irways.
- Information on likely routes of exposure:	No data available.		
- Symptoms related to the physical, chemical and toxicological characteristics:	May cause nausea and head swallowed.	dache. May	cause lung damage
- Delayed and immediate effects as well as chronic effects from short and long-term exposure:	No data available.		
11.2. Information on other hazards			
- Endocrine disrupting properties:	No data available.		
- Other information:	No data available.		
SECTION 12. ECOLOGICAL INFORMATION			
12.1. Toxicity			
- to aquatic organisms:	Toxic for aquatic life with	n lasting eff	ects.
- to ground organisms:	No data available.		
- to plants and land animals:	No data available.		
12.2. Persistence and degradability			
- biodegradation:	Partially degradable.		
- other degradation processes:	No data available.		
- degradation in wastewater:	No data available.		
12.3. Bioaccumulative potential			
- bio-concentration factor (BCF):	No data available.		
12.4. Mobility in soil	Method:	No data ava	ailable.
<ul> <li>Known or predicted distribution in environmental compartments:</li> </ul>	No data available.		
- surface tension:	No data available.		
- absorption/desorption:	No data available.		
- other physical and chemical properties:	See Section 9.		
12.5. Results of PBT and vPvB assessment			
- data from chemical safety report:	Product does not me classification defined by		
			_



According to the Regulation No. 1907/2006

Page 12 of 15

Product	PODRAVINA MIX CRUDE OIL	Date: Edition:	2024/04/22 3
12.7. Other adverse effects:	No data available.		
SECTION 13. DISPOSAL CONSIDERA	TIONS		
13.1 Waste treatment methods:	Waste shall be handed waste collection, disp waste shall be recovere	osal, or recov	
- Waste codes:	05 01 05*		
- Waste from residues:	There is no classic was of unintentional release		· ·
- Contaminated packaging:	Not applicable.		
- Relevant provisions:	Waste Management Ac	ct, Ordinance or	n waste manageme
SECTION 14. TRANSPORT INFORMA	TION		
14.1 UN number or ID number:	1267		
14.2 UN proper shipping name:	CRUDE OIL (vapou 110 kPa)	Ir pressure at 5	50 °C not larger th
14.3 Transport hazard class(es)			
ADR/RID/ADN/ICAO/IATA:	3		
IMDG:	3		
14.4 Packing group			
ADR/RID/ADN/IMDG/ICAO/IATA:	Ш		
14.5 Environmental hazards			
ADR, RID, ADN, ICAO/IATA:	yes		
IMDG:	yes		
14.6 Special precautions for user			
ADR	RID		
Transport category: 2	Transport category: 2		
Vehicle for tank carriage: FL	Tank code: LGBF		
Tank code: LGBF	Label: 3		
Tunnel restriction code: (D/E)	Classification code: F	1	
Label: 3	Hazard identification:	: 33	
Classification code: F1	Special provisions: 35	7, 640D	
Hazard identification: 33			
Special provisions: 357, 640D, S2, S	20		
ADN	IMDG		
Label: 3	Subsidiary risk: -		



According to the Regulation No. 1907/2006

Page 13 of 15

Product	PODRAVINA MI	X CRUDE OIL	Date: Edition:	2024/04/22 3
Additional requirements/Remarks 3.2.3.3	:: 14; *see	Group of the cargo: categ Special provisions: 357, TF	-	
Dangers: 3+(N1, N2, N3, CMR, F)		EmS: F-E, S-E		
Equipment required: *		Segregation group: B		
Classification code: F1				
Carriage permitted: T				
Type of tank vessel: *				
Anti-explosion protection required	d: yes			
Maximum degree of filling in %: *				
ICAO				
Label: 3				
Cargo IMP code: RFL				
Passenger and cargo aircraft: 5L				
Cargo aircraft only: 60L				
ERG code: 3L				
14.7 Maritime transport in bulk ad	ccording to IMO in	nstruments		

Trade name:	Not applicable.
Pollution category (according to MARPOL, Annex II):	Not applicable.
Vessel type (according to IBC Code):	Not applicable.
Special and operative requirements (according to IBC Code):	Not applicable.

### **15. REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Applicable EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP); Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 (REACH).
- Applicable national regulations:	Act on Chemicals; Ordinance on workers protection to dangerous chemicals exposure during work, exposure limit values and biological limit values; Act on Waste Management, Ordinance on waste management.
- Authorization information: -	
- Restriction information: -	
15.2 Chemical Safety Assessment	



According to the Regulation No. 1907/2006

Page 14 of 15

Product	PODRAVINA MIX CRUDE OIL		Date: Edition:	2024/04/22 3
- Chemical Safety Assessment carried out (CSA): YES		YES	Х	NO
16. OTHER INFO	RMATION			
Revision indicate	ors			
Section:	Subject of change:			
1	UFI			
2	Classification			
3	Composition			
9	Physical and chemical properties			
Full text of H- pł	nrases			
H225	Highly flammable liquid and vapour.			
H304	May be fatal if swallowed and enters airw	ays.		
H319	Causes serious eye irritation.			
H336	May cause drowsiness or dizziness.			
H340	May cause genetic defects.			
H350	May cause cancer.			
H373	May cause damage to blood, liver, sple repeated exposure.	een, and/or tl	hymus thro	ough prolonged
H411	Toxic to aquatic life with long lasting effec	cts.		
Abbreviations ar	nd acronyms:			
ADN	European Agreement concerning the Inte Inland Waterways	ernational Car	riage of Da	angerous Goods
ADR	European Agreement concerning the Inte Road	ernational Car	riage of Da	angerous Goods
CAS number	Chemical Abstract Service number			
CLP	Classification, Labelling and Packaging of s	substances an	d mixtures	
CSA	Chemical Safety Assessment			
CSR	Chemical Safety Report			
EC number	European Community number for identific available in the EU	cation of cher	nical substa	inces commercia
IATA	International Air Transport Association			
ICAO	International Civil Aviation Organization			
IMDG	International Maritime Dangerous Goods	Code transpo	rt	
LC50	Lethal concentration for 50% of tested or	ganisms		
LD50	Lethal concentration for 50% of tested or	ganisms (med	ium lethal c	concentration)



According to the Regulation No. 1907/2006

Page 15 of 15

Product		Date:	2024/04/22
	PODRAVINA MIX CRUDE OIL	Edition:	3
PBT	Persistent, bioaccumulative and toxic		
PDI	Persistent, bioaccumulative and toxic		
REACH	Registration, Evaluation, Authorisation and Restriction	of Chemical	S
RID	Regulations Concerning the International Transport of Dangerous Goods by Rail		
STOT (SE)	Specific Target Organ Toxicity (Single Exposure)		
STOT (RE)	Specific Target Organ Toxicity (Repeated Exposure)		
UFI	Unique formula identifier (according to section 5. Part (EU) no. 1272/2008)	A of Anne>	VIII of Regulation
UVCB	Chemical Substances of Unknown or Variable Cor Products and Biological Materials	nposition, (	Complex Reaction
vPvB	Very persistent and very bioaccumulative		

#### Statement:

This SDS is in compliance with the EU Regulation No. 1907/2006 and No. 1272/2008 of the European Parliament and the Council. It contains important user health and safety and environmental protection information. The information provided herein is not a substitute for any specification of quality and should not be deemed as a guarantee of the adequacy and applicability of this product for any purpose whatsoever. All information provided herein is based on our current knowledge and compliant with applicable legal regulations. The user is responsible for adherence to relevant legal regulations.

#### Data source:

- 1. <u>www.hzt.hr</u>
- 2. http://echa.europa.eu/hr
- 3. Handbook Identified Uses of Petroleum Substances 2023 Dossier Update, Concawe
- 4. Hazard Classification and Labelling of Petroleum Substances in the EEA 2023, Concawe
- 5. First Aid Reference Guide 2021 update

APPENDIX: EXPOSURE SCENARIOS ACCORDING TO CHEMICAL SAFETY REPORT